


**YOU
INVITED
TO MEET**



**THE
YUMAK
QUALITY**



The image shows the front facade of a modern industrial building. The building has a grey and white color scheme with large glass windows. The Yumak logo is prominently displayed on the upper part of the facade. The logo consists of the word 'yumak' in a stylized, lowercase font, with a registered trademark symbol (®) to its upper right. Below 'yumak', the words 'AIR BRAKE SYSTEMS' are written in a smaller, uppercase, sans-serif font. The building's entrance is visible through the glass windows, showing some interior details.

yumak®

AIR BRAKE SYSTEMS

WHO WE ARE

Yumak Automotive who is founded in 1984 started to produce precision spare parts for commercial vehicles.

Our company, who takes the name from the surname of our founder Mehmet Yumak, always aims to ensure that every products that are produced with the Yumak brand have world-class quality and higher durability. Yumak Automotive who constantly improves itself in line with this perspective has increased its brand value day by day. Yumak, who entered to the international market in 1993, has been became reputable in a short time with its quality and durability. Yumak Automotive exports its brand with thousands of products to more than 90 countries all over the world, always undertakes as a duty to work non-stop in order to produce better.

Yumak continues to produce quality parts needed in the sector of commercial vehicle spare parts with modern production facility that is located on 34.000 m² and the experts in their field . The R&D and Engineering team who have been supported by state-of-the-art equipment always carry out sensitive and critical processes for each product from the the design to assembly.

Our company, who has quality certificates such as IATF 1 6949, TS EN ISO / IEC 27001, TSE EN ISO 9001, EAC and always offers products in accordance with international quality systems, has reputable place in the sector of Automotive Spare Parts.

Yumak Automotive, serves its customers which are various regions in the World, feels right proud of being one of the leading companies in the sector with its ongoing investment volume and production power.


1984 yılında kurulan Yumak Otomotiv, ağır vasıta için hassas yedek parçalar üretmeye başlamıştır.

İsmi kurucusu Mehmet Yumak'ın soy isminden alan şirket, Yumak Otomotiv markası ile çıkan her ürünün dünya standartlarında kaliteli ve dayanıklı olmasını hedeflemiştir. Bu hedef doğrultusunda kendisini sürekli geliştiren Yumak Otomotiv, marka değerini her geçen gün artırmıştır. 1993 yılında uluslararası pazara açılan firma kısa sürede kalitesi ve dayanıklılığı ile adından söz ettirmiştir. Ürettiği binlerce ürünle dünyanın her yerinde 90'dan fazla ülkeye markasını ulaştıran Yumak Otomotiv, her zaman daha iyisini yapmak için durmadan çalışmayı kendisine görev edinmiştir.

34.000 m² üzerine yerleşmiş modern üretim tesisi ve alanında uzman ekibi ile ağır vasıta sektöründe ihtiyaç duyulan kaliteli parça üretimine devam etmektedir. Son teknoloji ekipmanlar ile desteklenen AR&GE ve Mühendislik ekibi, tasarımdan montaja kadar her ürün için hassas bir süreç yürütmektedir.

Otomotiv sektöründe önemli yere sahip olan IATF 16949, TS EN ISO/IEC 27001, TSE EN ISO 9001, EAC gibi kalite belgelerine sahip olan firma, müşterilerine uluslararası kalite sistemlerine uygun ürünler sunmaktadır.

Dünyanın çeşitli yerlerinde yüzlerce çalışanıyla müşterilerine hizmet veren Yumak Otomotiv, yatırım hacmi ve üretim gücüyle sektörün öncü firmalarından olmanın haklı gururunu yaşamaktadır.



PRODUCTION

34.000 m² OF PRODUCTION AREA

Yumak Otomotiv, which has become professional in heavy-duty trucks and after-sales products for these vehicles, has business partnerships with companies such as Man, Mercedes Benz, Iveco, Ford, Volvo, Mack, Scania, DAF, BMC, Renault, CAT.

The company, which produces many heavy-duty parts such as Pneumatic brake, Valves, Air Brake Equipment, Repair Kits, Clutch Master Cylinders, Clutch Servos, Clutch Repair Kits, Compressor Parts, Compressor Repair Kits, draws the attention of OEM part manufacturers such as Wabco, Knorr Bremse, Kongsberg.

Yumak Automotive, which produces with a human understanding first, has taken it upon itself to produce durable parts for the safety of people.

STOP TO MOMENT

34.000 m²'YE KURULU ÜRETİM HATTI

Ağır hizmet kamyonları ve bu araçlar için satış sonrası ürünlerde profesyonelleşen Yumak Otomotiv, Man, Mercedes Benz, Iveco, Ford, Volvo, Mack, Scania, DAF, BMC, Renault, CAT, gibi firmalarla iş ortaklığında bulunmaktadır.

Havalı Fren; Vanalar, Hava Fren Ekipmanı, Tamir Takımları, Debriyaj Ana Silindirleri, Debriyaj Servoları, Debriyaj Tamir Takımları, Kompresör Parçaları, Kompresör Tamir Takımları gibi birçok ağır hizmet parçası üzerine üretim yapan firma, Wabco, Knorr Bremse, Kongsberg gibi OEM parça üreticilerinin dikkatini çekmektedir.

Önce insan anlayışı ile üretim yapan Yumak Otomotiv, insanların güvenliği için dayanıklı parçalar üretmeyi kendisine görev edinmiştir.



DISCOVER DEVELOP DOMINATE

Expert Team Computerized Design Modern and High Quality Equipment

Yumak Automotive is one of the largest suppliers in the sector with, producing quality and durable products with over 35 years of experience, expert team, modern equipment and production line.

Yumak Automotive increased R&D investment 5 times in 2022. The R&D team has successfully completed 3 projects supported by TÜBİTAK, 4 projects supported by KOSGEB and 11 projects supported by the company.


Yumak Automotive carries out reverse engineering, modelling, analysis and fixture design with its expert team.

The company, which produces the test and assembly machines it needs, commissions more than 60 new products every year with the reverse engineering method.

35 yılı aşkın tecrübe, uzman ekip, modern ekipman ve üretim hattı ile kaliteli ve dayanıklı ürünler üreten Yumak Otomotiv, sektörün en büyük tedarikçilerinden biri konumundadır. Yumak Otomotiv, AR&GE yatırımını 2022 yılında 5 kat artırdı. AR&GE ekibi TÜBİTAK destekli 3, KOSGEB destekli 4 ve firma tarafından desteklenen 11 projeyi başarı ile tamamlamıştır.

Yumak Otomotiv, tersine mühendislik, modellme, analiz, fişstür tasarımını alanında uzman ekibi ile yürütmektedir. İhtiyacı olan test ve montaj makinelerini üreten firma, tersine mühendislik yöntemi ile her sene 60'ın üzerinde yeni ürün devreye almaktadır.

R&D



QUALITY

Every Yumak Product you receive has been tested by the Quality Control unit. All the problems you may experience before and after the sale are resolved by expert teams in a short time.

Every Yumak branded product is under the guarantee of Yumak Automotive.

Every Yumak branded product you buy has been carefully designed and developed by our expert R&D team.


Elinize ulaşan her Yumak Ürünü, Kalite Kontrol birimi tarafından test edilmiştir. Satış öncesi ve sonrasında yaşayacağınız bütün sorunlar uzman ekipler tarafından kısa sürede çözüme kavuşturulur.

Yumak markalı her ürün Yumak Otomotiv garantisi altındadır.

Satın aldığınız her Yumak markalı ürün uzman AR&GE ekibi tarafından dikkatle tasarlanıp geliştirilmiştir.



Premium Product



Each boxed Yumak product is offered for sale with the original Yumak hologram product label.

On the label; There are Yumak number, reference number, product name, vehicle used and measurement information. All products are sealed by heating in Yumak printed bags.

Kutulanmış her Yumak ürünü, orijinal Yumak hologramı ürün etiketi ile satışa sunulur.

Etikette; Yumak no, referans no, ürün ismi, kullanılan araç ve ölçü bilgileri vardır. Tüm ürünler Yumak baskılı poşetlerde ısıtılarak mühürlenir.





7 CONTINENTS
101 COUNTRIES
EXPORTED



7 COUNTRY O TRADEMARK I REGISTRATIONS

WE OFFER THE BEST FOR YOU
SİZİN İÇİN EN İYİSİNİ SUNUYORUZ



www.yumaktr.com


PREMIER

TecDoc®
DATA SUPPLIER



12-25	DEUTZ	
26-69	CUMMINS	
70-77	MACK	
78-87	VOLKSWAGEN	
88-101	FORD BRASIL	
102-105	NISSAN UD TRUCK	
106-113	CATERPILLAR	
114-119	PACCAR	
120-131	PERLINS	
132-165	INTERNATIONAL	
166-177	DETROIT DIESEL	

HAVA KOMPRESÖRLERİVE TAMİR TAKIMLARI
AIR COMPRESSORS AND REPAIR KITS



DEUTZ

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

DEUTZ



Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
DEUTZ

OLD NO 01.04.179

YUMAK NO®
146 180 0100



OE NO
04905010

KNORR NO
LK3869
K016932

OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M26x1.5
Port 8.1
M10x1
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
12 bar
Weight
11.4 kg

146 180 0110 OLD NO RK.01.755

Complete Cylinder Head




146 180 0139 OLD NO RK.01.755.01

Cylinder Head Repair Kit




146 180 0121 OLD NO RK.01.756.01

Valve Plate Kit




146 180 0120 OLD NO RK.01.756



Valve Plate Kit



146 182 0135 OLD NO RK.01.159.33

Repair Kit



303 180 0004 OLD NO O1.1674 Cylinder Head   Knorr No : K012234	304 180 0003 OLD NO O1.1676 Valve Plate  	301 180 0001 OLD NO O1.1675 Cooling Plate  	301 180 0006 OLD NO O1.1672 Crankcase  
302 145 0002 OLD NO O1.1673 Crankshaft  M20x1,5  	311 038 0017 OLD NO O1.1206 Crankshaft Flange  	308 032 0016 OLD NO O1.1101 Connecting Rod   Knorr No : SEB22464 - EB02800	
314 080 0103 OLD NO RK.O1.601.05 Piston & Ring Full Kit  Ø80,00 mm 2,50+2,50+4,00  Knorr No : K149865K50	314 080 0003 OLD NO RK.O1.601 Piston&Ring  314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00  Knorr No : SEB22517	306 080 0003 OLD NO O1.1201 Piston  306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00 	307 080 0004 OLD NO O1.1226 Ring  307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00 
146 180 0130 OLD NO RK.O1.159.07 Repair Kit   Knorr No : K012252	146 180 0133 OLD NO RK.O1.159.13 Repair Kit  		
312 038 0010 OLD NO O1.1332 Bushing  42x38x22 			

Single Cylinder Compressor
Ø75 mm – 160 cc – Stroke 36 mm

Application – Vehicle
DEUTZ

OLD NO 01.05.012

YUMAK NO[®]

146 175 0100



OE NO
4415517
04415517

WABCO NO
411 141 000 0

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø75 mm
Volume
160 cc
Piston Operating Distance
36 mm
Port 0
M26x1.5
Port 2
M26x1.5
Port 8.1
M10x1
Port 8.2
M22x1.5
Crankshaft Thread
M18x1.5 RH
Number of Cylinders
1
Cooling
Air
ESS Feature
No
Water Cooled Valve Plate
No
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
9.4 kg

146 185 0110 OLD NO RK.01.084

Complete Cylinder Head



Wbo No : 411 141 926 2
8 680437 059875

146 175 0120 OLD NO RK.01.085

Valve Plate Kit



8 680437 059882

146 175 0131 OLD NO RK.01.087.01


Repair Kit



8 680437 059929

146 175 0137 OLD NO RK.01.087.21


Repair Kit



8 680437 120926 NON ASB : Non-asbestos composite gasket material for worn cylinderhead


146 175 0130 OLD NO RK.01.087

Repair Kit



8 680437 059912



303 175 0002 OLD NO 01.229 Cylinder Head  	304 175 0002 OLD NO 01.909 Valve Plate  	312 035 0001 OLD NO 01.012 Bushing  39x35x16 For Crankshaft Flange  Mbo No: 411 042 340 4	301 175 0001 OLD NO 01.235 Crankcase  
302 136 0102 OLD NO 01.1254 Crankshaft  M18x1,5 Right Hand  Mbo No : 411 143 69 04	311 035 0004 OLD NO 01.234 Crankshaft Flange  Mbo No : 411 140 662 2 - 411 141 923 2 411 140 660 4 - 411 141 600 2 	308 035 0005 OLD NO 01.230 Connecting Rod   Mbo No : 411 141 732 2	
314 075 0004 OLD NO RK.01.118 Piston&Ring  314 075 1004 Ø75,25 mm 314 075 2004 Ø75,50 mm 314 075 3004 Ø75,75 mm 314 075 4004 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00  Mbo No: 411 141 623 2 411 522 620 2	306 075 0005 OLD NO 01.911 Piston  306 075 1005 Ø75,25 mm 306 075 2005 Ø75,50 mm 306 075 3005 Ø75,75 mm 306 075 4005 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00 	307 075 0001 OLD NO 01.134 Ring  307 075 1001 Ø75,25 mm 307 075 2001 Ø75,50 mm 307 075 3001 Ø75,75 mm 307 055 4001 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00  Knorr No: 801770061	
146 175 0133 OLD NO RK.01.087.02 Repair Kit  	146 175 0135 OLD NO RK.01.087.20 Repair Kit  	146 175 0138 OLD NO RK.01.087.22 Repair Kit  	146 175 0139 OLD NO RK.01.087.05 Repair Kit  
312 030 0003 OLD NO 01.190 Bushing  34x30x20 For Crankcase 			

Single Cylinder Compressor
Ø92 mm - 359 cc - Stroke 54 mm

Application - Vehicle
DEUTZ

OLD NO 01.04.192

YUMAK NO[®]
146 192 0200



OE NO
0490 3511
04903511

KNORR NO
LP3955
K003084

OLD NO

YUMAK NO[®]

Brand
YUMAK Original

Cylinder Diameter
Ø92 mm

Volume
359 cc

Piston Operating Distance
54 mm

Port 0
M26x1.5

Port 2
M26x1.5

Port 4
M10x1

Port 8.1
M10x1

Port 9.1
M16x1.5

Port 9.2
M16x1.5

Crankshaft Thread
M20x1.5 RH

Number of Cylinders
1

Cooling
Water

ESS Feature
Yes

Water Cooled Valve Plate
Yes

Direct Working
Yes

Maximum Op. Pressure
10 bar

Weight
13.8 kg

146 192 0210 OLD NO RK.01.766

Complete Cylinder Head




146 192 0239 OLD NO RK.01.766.01

Cylinder Head Repair Kit



146 192 0221 OLD NO RK.01.611.01

Valve Plate Kit




146 192 0220 OLD NO RK.01.611




Valve Plate Kit



146 192 0230 OLD NO RK.01.614.11

Repair Kit



303 192 0004 OLD NO O1.1715 Cylinder Head   Knorr No : K011809	304 192 0003 OLD NO O1.1213 Valve Plate   Knorr No : K011811	305 192 0002 OLD NO O1.1212 Cooling Plate   Knorr No : K011811	301 192 0010 OLD NO O1.1714 Crankcase   Knorr No : K011811
302 154 0302 OLD NO O1.1779 Crankshaft  M20x1,5 Rgt Hand  Knorr No : K011811	311 038 0023 OLD NO O1.1677 Crankshaft Flange   Knorr No : K011811	308 032 0016 OLD NO O1.1101 Connecting Rod   Knorr No : SEB22464 EB02800	
314 092 0001 OLD NO RK.O1.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  Knorr No : K006026 - K012079 - SEB22530 K012079K56 - K012079K57	306 092 0001 OLD NO O1.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  Knorr No : K006026 - K012079 - SEB22530 K012079K56 - K012079K57	307 092 0002 OLD NO O1.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  Knorr No : K006026 - K012079 - SEB22530 K012079K56 - K012079K57	
146 192 0237 OLD NO RK.O1.614.09 Repair Kit   Knorr No : K137936	146 192 0235 OLD NO RK.O1.614.10 Repair Kit   Knorr No : K011818	146 192 0238 OLD NO RK.O1.614.12 Repair Kit   Knorr No : K099418	146 192 0236 OLD NO RK.O1.614.08 Repair Kit   Knorr No : K137939

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
DEUTZ

OLD NO 01.04.184

YUMAK NO[®]
146 180 0200



OE NO
0429 8359

KNORR NO
LK3866
K018385

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M26x1.5
Port 8.1
M10x1
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
12 bar
Weight
11 kg

146 180 0210

OLD NO RK.01.757

Complete Cylinder Head



146 180 0239

OLD NO RK.01.757.01

Cylinder Head Repair Kit



Knorr No : K151008K50

146 180 0221

OLD NO RK.01.756.03

Valve Plate Kit



Knorr No : K149864K50*

146 180 0220

OLD NO RK.01.756.02


Valve Plate Kit






146 180 0231

OLD NO RK.01.159.34

Repair Kit



303 180 0004 OLD NO O1.1674 Cylinder Head   Knorr No : K012234	304 180 0003 OLD NO O1.1676 Valve Plate   Knorr No : SEB01938004	312 038 0010 OLD NO O1.1332 Bushing   8 680437 009924	301 180 0006 OLD NO O1.1672 Crankcase   8 680437 127857
302 145 0002 OLD NO O1.1673 Crankshaft  M20x1,5 Rgt Hand  8 680437 127864	311 038 0023 OLD NO O1.1677 Crankshaft Flange   8 680437 128205	308 032 0016 OLD NO O1.1101 Connecting Rod   Knorr No : SEB22464 EB02800	
314 080 0103 OLD NO RK.O1.601.05 Piston & Ring  Ø80,00 mm 2,50+2,50+4,00  Knorr No: K149865K50	314 080 0003 OLD NO RK.O1.601 Piston&Ring  314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00  Knorr No : SEB22517	306 080 0003 OLD NO O1.1201 Piston  306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00  8 680437 017530	307 080 0004 OLD NO O1.1226 Ring  307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00  8 680437 017882
146 180 0230 OLD NO RK.O1.159.15 Repair Kit   Knorr No: SEB22518	146 180 0233 OLD NO RK.O1.159.21 Repair Kit   8 680437 079224		

Single Cylinder Compressor
Ø75 mm – 159 cc – Stroke 36 mm

Application – Vehicle
DEUTZ

OLD NO 01.05.123

YUMAK NO[®]
146 175 0200



OE NO
4414768
04414768

WABCO NO
411 141 002 0

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø75 mm
Volume
159 cc
Piston Operating Distance
36 mm
Port 0
M26x1.5
Port 2
M26x1.5
Port 8.1
M10x1
Port 8.2
M22x1.5
Crankshaft Thread
M18x1.5 RH
Number of Cylinders
1
Cooling
Air
ESS Feature
No
Water Cooled Valve Plate
No
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
9.4 kg

146 175 0210 OLD NO RK.01.084

Complete Cylinder Head



Wbo No : 411 141 926 2
8 680437 059875

146 175 0220 OLD NO RK.01.085

Valve Plate Kit



8 680437 059882

146 175 0230 OLD NO RK.01.087

Repair Kit



8 680437 059912

146 175 0231 OLD NO RK.01.087.01


Valve Plate Kit



8 680437 059929

146 175 0237 OLD NO RK.01.087.21

Repair Kit



NON ASB : Non-asbestos composite gasket material
for worn cylinderhead
8 680437 128090



303 175 0002 OLD NO01.229 Cylinder Head   8 680437 019862	304 175 0002 OLD NO01.909 Valve Plate   8 680437 028253	312 035 0001 OLD NO01.012 Bushing   8 680437 009986	301 175 0001 OLD NO01.235 Crankcase   8 680437 019923
302 136 0102 OLD NO01.1254 Crankshaft  M18x1.5 Right Hand  8 680437 076759 Wbo No: 411 143 69 04	311 035 0004 OLD NO01.234 Crankshaft Flange  Wbo No :  8 680437 019916 411 140 662 2 - 411 141 923 2 411 140 660 4 - 411 141 600 2	308 035 0005 OLD NO01.230 Connecting Rod   8 680437 072935 Wbo No : 411 141 732 2	
314 075 0001 OLD NORK.01.118 Piston&Ring  314 075 1004 Ø75,25 mm 314 075 2004 Ø75,50 mm 314 075 3004 Ø75,75 mm 314 075 4004 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00  8 680437 060482 Wbo No: 411 141 623 2 411 522 620 2	306 075 0001 OLD NO01.911 Piston  306 075 1005 Ø75,25 mm 306 075 2005 Ø75,50 mm 306 075 3005 Ø75,75 mm 306 075 4005 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00  8 680437 028277	307 075 0001 OLD NO01.134 Ring  307 075 1001 Ø75,25 mm 307 075 2001 Ø75,50 mm 307 075 3001 Ø75,75 mm 307 055 4001 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00  8 680437 018278 Knorr No: 801770061	
146 175 0233 OLD NORK.01.087.02 Repair Kit   8 680437 073277	146 175 0235 OLD NORK.01.087.20 Repair Kit   8 680437 118817	146 175 0238 OLD NORK.01.087.22 Repair Kit   8 680437 120933	146 175 0239 OLD NORK.01.087.05 Repair Kit   8 680437 128434
312 030 0003 OLD NO01.190 Bushing  34x30x20 For Crankcase  8 680437 019282			

Single Cylinder Compressor
Ø88 mm – 300 cc – Stroke 50 mm

Application – Vehicle
DEUTZ

OLD NO 01.04.182

YUMAK NO[®]
146 188 0100



OE NO	KNORR NO
	LK39..
	K000275R

OLD NO
YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø88 mm
Volume
300 cc
Piston Operating Distance
50 mm
Port 0
Ø29 mm
Port 2
M18x1.5
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M20x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
No
Direct Working
No
Maximum Op. Pressure
10 bar
Weight
10.6 kg

146 188 0110 OLD NO RK.01.112.10

Complete Cylinder Head




146 188 0120 OLD NO RK.01.749

Valve Plate Kit




146 188 0130 OLD NO RK.01.750

Repair Kit




146 180 0131 OLD NO RK.01.750.01

Repair Kit




146 188 0132 OLD NO RK.01.323

Repair Kit



303 188 0104 OLD NO 01.304.10 Cylinder Head  	304 188 0104 OLD NO 01.355.10 Valve Plate  	311 030 0013 OLD NO 01.881 Bushing  	301 188 0004 OLD NO 01.306 Crankcase  
302 150 0201 OLD NO 01.307 Crankshaft  M20x1,5  	311 030 0007 OLD NO 01.308 Crankshaft Flange  	308 032 0004 OLD NO 01.008 Connecting Rod  	
146 188 0160 OLD NO RK.01.032 Cylinder Liner Set  Ø88,00 mm 2,50+2,50+4,00  Knorr No: F89790061	314 088 0001 OLD NO RK.01.034 Piston&Ring  314 088 1001 Ø88,25 mm 314 088 2001 Ø88,50 mm 314 088 3001 Ø88,75 mm 314 088 4001 Ø89,00 mm Ø88,00 mm 2,50+2,50+4,00  Knorr No: B1169004 SEB22555	306 088 0001 OLD NO 01.110 Piston  306 088 1001 Ø88,25 mm 306 088 2001 Ø88,50 mm 306 088 3001 Ø88,75 mm 306 088 4001 Ø89,00 mm Ø88,00 mm 2,50+2,50+4,00 	307 088 0001 OLD NO 01.136 Ring  307 088 1001 Ø88,25 mm 307 088 2001 Ø88,50 mm 307 088 3001 Ø88,75 mm 307 088 4001 Ø89,00 mm Ø88,00 mm 2,50+2,50+4,00  Knorr No: B9526B061 B11690062
146 188 0161 OLD NO RK.01.032.01 Cylinder Liner Set  Ø88,00 mm 2,50+2,50+4,00  Knorr No: K035133K50	146 188 0136 OLD NO RK.01.408 Repair Kit  		
310 188 0001 OLD NO 01.057 Cylinder Liner  Ø88,00 mm 	312 030 0004 OLD NO 01.195 Bushing  34x30x16 		



CUMMINS

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

CUMMINS



Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.125

YUMAK NO[®]
152 185 0401



OE NO

3101137
3103413
4952758
3681902
3681904

WABCO NO

911 153 510 0

OLD NO 01.04.125.10

YUMAK NO[®]
152 185 0400

WITHOUT GEAR



Application - Vehicle

CUMMINS ISX / ISC
L / M / N / B

Brand

YUMAK Original

Cylinder Diameter

Ø85 mm

Volume

318 cc

Piston Operating Distance

56 mm

Port 0

Ø20.4 mm

Port 2

M27x2

Port 4

Ø14 mm

Port 8.1

Ø10 mm

Port 9.1

M18x1.5

Port 9.2

M18x1.5

Number of Cylinders

1

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

14 bar


Weight

19.75 kg

152 185 0410

OLD NO RK.01.483

Complete Cylinder Head




Ø No : 4936225
Wbo No : 911 153 921 2

152 185 0431

OLD NO RK.01.067.01

Repair Kit




8 680437 059479

152 185 0435

OLD NO RK.01.067.02

Repair Kit




Ø No : 4089238
Wbo No : 911 154 929 2

152 185 0430

OLD NO RK.01.067

Repair Kit




8 680437 059455
NB Nitrile rbr ght


152 185 0434

OLD NO RK.01.067.04

Repair Kit



8 680437 073345
NB Nonabrasive ght material for wn cylinderhead

303 185 0006 OLD NO 01.900 Cylinder Head  	304 185 0005 OLD NO 01.901 Valve Plate  	312 055 0003 OLD NO 01.1954 Bushing  5955x8 	301 185 0012 OLD NO 01.1593 Crankcase  
302 156 0005 OLD NO 01.1564 Crankshaft  	311 040 0004 OLD NO 01.1222 Crankshaft Flange   Ø No : 6585542 - 4089222 Mo No : 911 153 925 2	308 032 0007 OLD NO 01.272 Connecting Rod   Ø No : 3357219 Mo No : 911 142 737 2	309 039 0002 OLD NO 01.1646 Gear  Ø132,50 mm - Z: 38  Ø No : 3680550
314 085 0001 OLD NO RK.01.104 Piston&Ring 314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO 01.142 Piston 306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2	307 085 0001 OLD NO 01.373 Ring 307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Mo No : 911 501 920 2	
152 185 0432 OLD NO RK.01.067.05 Repair Kit  	152 185 0433 OLD NO RK.01.067.06 Repair Kit  	152 185 0436 OLD NO RK.01.513 Repair Kit  	
313 903 6308 OLD NO 00.999 Bushing  Ø88 ØxØx23  Ø No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2			

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
CUMMINS 4 BTAA

OLD NO 01.04.130

YUMAK NO®
152 180 0100



OE NO

204927
3285923

KNORR NO

LK3833
SEB01586ES
SEB01586X00
SEB01586000

OLD NO

YUMAK NO®

- Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x15
Port 2
M22x1.5
Port 8.1
1/8" - 27 NPTF
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
5/8" - 18 UNF
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
11.1 kg

152 180 0110 OLD NO RK.01.641

Complete Cylinder Head



152 180 0120 OLD NO RK.01.616


Valve Plate Kit



Knorr No : SEB01593004


152 180 0121 OLD NO RK.01.616.01

Valve Plate Kit



152 180 0135 OLD NO RK.01.159.25


Repair Kit







Ø No : 9Ø18389

152 180 0130 OLD NO RK.01.159.18

Repair Kit



303 180 0502 OLD NO01.1302 Cylinder Head  8 680437 079415	304 180 0002 OLD NO01.1219 Valve Plate  8 680437 017776 Knorr No : SEB01915004	312 038 0003 OLD NO01.292 Bushing  2x25 8 680437 073871 Wbo No : 411 522 340 4	301 180 0104 OLD NO01.1568 Crankcase  8 680437 103653
302 145 0001 OLD NO01.1338 Crankshaft  5/8" - 18 UNF 8 680437 109372	311 038 0217 OLD NO01.1389 Crankshaft Flange  8 680437 072096	308 032 0016 OLD NO01.1101 Connecting Rod  8 680437 016069 Knorr No : SEB22464 EB02800	
314 080 0003 OLD NORK.01.601 Piston&Ring 314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 067054 Knorr No : SEB22517	306 080 0003 OLD NO01.1201 Piston 306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 017530	307 080 0004 OLD NO01.1226 Ring 307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 017882	
152 180 0137 OLD NORK.01.159.20 Repair Kit  8 680437 073956	152 180 0133 OLD NORK.01.159.22 Repair Kit  8 680437 119067	152 180 0138 OLD NORK.01.159.05 Repair Kit  8 680437 120377 Knorr No : SEB018190051	152 180 0139 OLD NORK.01.159.27 Repair Kit  8 680437 121121 Knorr No : SEB22519*

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.215

YUMAK NO[®]
152 185 1001



OE NO

3558163
4952756
3103403
3680441
4053825
4059825
4069825

WABCO NO

911 153 520 0

OLD NO

YUMAK NO[®]

Application - Vehicle
CUMMINS ISF / ISB
QSF

Brand

YUMAK Original

Cylinder Diameter

Ø85 mm

Volume

318 cc

Piston Operating Distance

56 mm

Port 0

Ø25 mm

Port 2

M27x2

Port 4

M10x1

Port 8.1

Ø5 mm

Port 8.2

Ø20 mm

Port 9.1

3/4" - 16 UNF

Port 9.2

3/4" - 16 UNF

Number of Cylinders

1

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

10 bar

Weight

17.5 kg

152 185 1010

OLD NO RK.01.430

Complete Cylinder Head




8 680437 065142
Ø No : 4936226
Wbo No : 911 153 920 2

152 185 1031

OLD NO RK.01.067.01

Repair Kit




8 680437 059479

152 185 1035

OLD NO RK.01.067.02

Repair Kit




8 680437 078227
Ø No : 4089238
Wbo No : 911 154 929 2

152 185 1030

OLD NO RK.01.067

Repair Kit




8 680437 078227
NB Nitrile rbr ght

152 185 1034

OLD NO RK.01.067.04

Repair Kit



8 680437 059486
NB Nonabscopite ght aterial
for urn clynderhead



303 185 0206 OLD NO01.990 Cylinder Head  	304 185 0005 OLD NO01.901 Valve Plate  	313 903 6308 OLD NO00.999 Roller Bearing  88 	301 185 0017 OLD NO01.1865 Crankcase  
302 156 0306 OLD NO01.1850 Crankshaft  		308 032 0007 OLD NO01.272 Connecting Rod   Ø No : 3357219 Mto No : 911 145 737 2	309 020 0002 OLD NO01.1909 Gear  Ø44,20 mm - Z: 20 
314 085 0001 OLD NORK.01.104 Piston&Ring 314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Mto No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston 306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Mto No : 911 501 920 2	307 085 0001 OLD NO01.373 Ring 307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Mto No : 911 501 920 2	
152 185 1032 OLD NORK.01.067.05 Repair Kit  	152 185 1033 OLD NORK.01.067.06 Repair Kit  	152 185 1036 OLD NORK.01.513 Repair Kit  	

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.216

YUMAK NO[®]
152 185 1401



OE NO
3968696

WABCO NO
911 153 548 0

OLD NO 01.04.216.10

YUMAK NO[®] WITHOUT GEAR
152 185 1400




Application - Vehicle
CUMMINS ISF / ISB
QSB

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
3/4" - 14 NPTF
Port 2
3/4" - 14 NPTF
Port 4
M10x1
Port 8.1
Ø6.8 mm
Port 9.1
1/2" - 14 NPTF
Port 9.2
1/2" - 14 NPTF
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
12 bar
Weight
14.5 kg


152 185 1410 OLD NO RK.01.720
Complete Cylinder Head




152 185 1431 OLD NO RK.01.414.01
Repair Kit




152 185 1430 OLD NO RK.01.414
Repair Kit



152 185 1434 OLD NO RK.01.414.04
Repair Kit



152 185 1435 OLD NO RK.01.414.03
Repair Kit



303 185 0010 OLD NO01.1517 Cylinder Head  Ø No : 3357402 - B62K893A Mo No : 911 155 655 4 884 502 579 4 	304 185 0009 OLD NO01.1431 Valve Plate  Ø No : 3357400 - B62A32A Mo No : 911 155 652 2 884 503 200 2 	312 055 0001 OLD NO01.1123 Bushing  59x55x18 Ø No : 3357207 Mo No : 911 155 200 4 	301 185 0016 OLD NO01.1855 Crankcase  Ø No : 3357207 Mo No : 911 155 200 4 
302 156 0008 OLD NO01.1856 Crankshaft  M20x1,5 RH Ø No : 3357219 Mo No : 911 145 737 2 	311 052 0302 OLD NO01.1649.20 Crankshaft Flange  Ø No : 3357219 Mo No : 911 145 737 2 	308 032 0007 OLD NO01.272 Connecting Rod  Ø No : 3357219 Mo No : 911 145 737 2 	309 032 0001 OLD NO01.1919 Gear  Ø98,70 mm - Z: 32 Ø No : 4929278 
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 Ø No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2 	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 Ø No : 001 131 11 11 Mo No : 911 501 920 2 	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 Ø No : 001 131 11 11 Mo No : 911 501 920 2 	
152 185 1432 OLD NORK.01.414.02 Repair Kit  Ø No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2 	152 185 1433 OLD NORK.01.414.05 Repair Kit  Ø No : 001 131 11 11 Mo No : 911 501 920 2 		

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.086

YUMAK NO[®]
152 185 2101



OE NO
D3968085

WABCO NO
911 155 512 0

OLD NO 01.06.086.10

YUMAK NO[®]
152 185 2100

WITHOUT GEAR



Application - Vehicle
CUMMINS 6BTAA 5.9
6BTAA 8.3


Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø19.05 mm
Port 2
Ø16 mm
Port 4
M10x1
Port 8.1
7/19" - 20 UNF- 2A
Port 9.1
Ø12.7 mm
Port 9.2
Ø12.7 mm
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
18.5 kg

152 185 2110 OLD NO RK.01.720
Complete Cylinder Head




Wbo No : 911 155 804 2
8 680437 077527

152 185 2131 OLD NO RK.01.414.01
Repair Kit




8 680437 064985

152 185 2130 OLD NO RK.01.414
Repair Kit




NB Nitride rbr ght
8 680437 064978

152 185 2134 OLD NO RK.01.414.04
Repair Kit




NB Nonabioscopite ght aterial for wn cylinderhead
8 680437 081807

152 185 2135 OLD NO RK.01.414.03
Repair Kit



8 680437 122050

303 185 0010 OLD NO01.1517 Cylinder Head  Ø No : 3357402 - B62K893A Mo No : 911 155 655 4 884 502 579 4 	304 185 0009 OLD NO01.1431 Valve Plate  Ø No : 3357400 - B62A32A Mo No : 911 155 652 2 884 503 200 2 		301 185 0013 OLD NO01.1603 Crankcase  8 680437 141181 
302 156 0007 OLD NO01.1640 Crankshaft  M20x1,5 Right Hand 8 680437 108900 	311 052 0002 OLD NO01.1649 Crankshaft Flange  8 680437 084402 	308 032 0007 OLD NO01.272 Connecting Rod  Ø No : 3357219 Mo No : 911 145 737 2 8 680437 020400 	309 037 0003 OLD NO01.1648 Gear  Ø100,40 mm - Z: 37 8 680437 091028 
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 8 680437 060277 Ø No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 8 680437 075431 Ø No : 001 131 11 11 Mo No : 911 501 920 2	
152 185 2132 OLD NORK.01.414.02 Repair Kit  8 680437 076490 	152 185 2133 OLD NORK.01.414.05 Repair Kit  8 680437 122043 		

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.091

YUMAK NO[®]
152 185 3001



OE NO
5273897

WABCO NO
912 140 011 0

OLD NO 01.06.091.10

YUMAK NO[®]
152 185 3000

WITHOUT GEAR



Application - Vehicle
CUMMINS ISB / ISF
QSB

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
M30x1.5
Port 2
M26x1.5
Port 4
M12x1.5
Port 8.1
M10x1
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
15.3 kg

152 185 3010 OLD NO RK.01.169.02


Complete Cylinder Head



Mo No : 912 140 036 2
8 680437 173342

152 185 3031 OLD NO RK.01.130.05


Repair Kit



8 680437 060765

152 185 3035 OLD NO RK.01.130.08


Repair Kit



8 680437 128601

152 185 3030 OLD NO RK.01.130


Repair Kit





8 680437 060734 NB Nitric rbr gbt

152 185 3034 OLD NO RK.01.130.04

Repair Kit



8 680437 118954 NB Nonabioscopite ght aterial for urn cylinderhead

303 185 0001 OLD NO01.367 Cylinder Head  	304 185 0002 OLD NO01.368 Valve Plate  	305 185 0002 OLD NO01.369 Cooling Plate  	301 185 0216 OLD NO01.1855.11 Crankcase  
302 159 0008 OLD NO01.1856 Crankshaft  M20x1,5 Right Hand 	311 052 0302 OLD NO01.1649.20 Crankshaft Flange  	308 032 0007 OLD NO01.272 Connecting Rod   Ø No : 3357219 Wbo No : 911 145 737 2	309 036 0005 OLD NO01.1918 Gear  Ø100,75 mm - Z: 36 
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001Ø85,50 mm 314 085 3001Ø85,75 mm 314 085 4001Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001Ø85,50 mm 306 085 3001Ø85,75 mm 306 085 4001Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Wbo No : 911 501 920 2	
152 185 3038 OLD NORK.01.130.13 Repair Kit   Wbo No: 412 352 923*	152 185 3037 OLD NORK.01.130.12 Repair Kit   Wbo No: 412 352 002 2		
312 055 0001 OLD NO01.1123 Bushing  59x55x18  Ø No : 3357207 Wbo No : 911 155 200 4			

Twin Cylinder Compressor

Ø86 mm - 460 cc - Stroke 40 mm

Application - Vehicle

CUMMINS ISC / ISB

OLD NO

01.05.149

YUMAK NO®

152 286 0100



OE NO

5257939

KNORR NO

LP4865

K051401N00

K033404N00

OLD NO

01.05.149.10

YUMAK NO®

152 286 0200

WITHOUT GEAR



Brand

YUMAK Original

Cylinder Diameter

Ø86 mm

Volume

460 cc

Piston Operating Distance

40 mm

Port 0

M26x1.5

Port 2

M26x1.5

Port 4

M10x1

Port 8.1

Ø13.86 mm

Port 9.1

M18x1.5

Port 9.2

M18x1.5

Crankshaft Thread

M18x1.5 LH

Number of Cylinders

2

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

12 bar

Weight


20.5 kg

152 286 0110

OLD NO

RK.01.677.20

Complete Cylinder Head



152 286 0120

OLD NO

RK.01.676

Valve Plate Kit



152 286 0121

OLD NO

RK.01.676.01

Valve Plate Kit




152 286 0131

OLD NO

RK.01.679.01

Repair Kit






152 286 0135

OLD NO

RK.01.679.05

Repair Kit



303 286 0010 OLD NO RK.01.677.21 Cylinder Head   Knorr No : K047839K50	303 286 0005 OLD NO 01.1373 Cylinder Head  	304 286 0401 OLD NO 01.1372 Valve Plate   Knorr No : K044410K50	301 286 0105 OLD NO 01.1519 Crankcase  
302 240 0102 OLD NO 01.1520 Crankshaft  M18x1,5 Left Hand 	311 035 0009 OLD NO 01.1521 Crankshaft Flange  	308 033 0001 OLD NO 01.1016 Connecting Rod  	
314 086 0001 OLD NO RK.01.272 Piston&Ring  314 086 1001 Ø86,25 mm 314 086 2001 Ø86,50 mm 314 086 3001 Ø86,75 mm 314 086 4001 Ø87,00 mm Ø86,00 mm 2,00+2,00+3,00  Knorr No : SEB22547 SEB22548	306 086 0001 OLD NO 01.868 Piston  306 086 1001 Ø86,25 mm 306 086 2001 Ø86,50 mm 306 086 3001 Ø86,75 mm 306 086 4001 Ø87,00 mm Ø86,00 mm 2,00+2,00+3,00 	307 086 0001 OLD NO 01.869 Ring  307 086 1001 Ø86,25 mm 307 086 2001 Ø86,50 mm 307 086 3001 Ø86,75 mm 307 086 4001 Ø87,00 mm Ø86,00 mm 2,00+2,00+3,00 	
152 286 0130 OLD NO RK.01.679 Repair Kit  	152 286 0132 OLD NO RK.01.679.06 Repair Kit   Knorr No: SEB22550	152 286 0136 OLD NO RK.01.184 Repair Kit   Knorr No: SEB22550	
312 040 0001 OLD NO 01.026 Bushing  40x26 			

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.107

YUMAK NO[®]
152 185 4001



OE NO
5273898

WABCO NO
912 140 012 0

OLD NO 01.06.107.10

YUMAK NO[®]
152 185 4000

WITHOUT GEAR



Application - Vehicle
CUMMINS ISL

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
M30x1.5
Port 2
M26x1.5
Port 4
M12x1.5
Port 8.1
1/8" - 27 NPTF
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
18.5 kg


152 185 4010 OLD NO RK.01.169.03

Complete Cylinder Head




152 185 4031 OLD NO RK.01.130.05

Repair Kit




152 185 4037 OLD NO RK.01.130.12

Repair Kit




152 185 4030 OLD NO RK.01.130


Repair Kit



152 185 4034 OLD NO RK.01.130.04

Repair Kit



303 185 0001 OLD NO 01.367 Cylinder Head  	304 185 0002 OLD NO 01.368 Valve Plate  		301 185 0613 OLD NO 01.1603.11 Crankcase  
302 156 0007 OLD NO 01.1640 Crankshaft  M20x1,5 Right Hand 	311 052 0202 OLD NO 01.1649.10 Crankshaft Flange  	308 032 0007 OLD NO 01.272 Connecting Rod   Ø No : 3357219 Wbo No : 911 145 737 2	309 042 0001 OLD NO 01.1225 Gear  Ø113,90 mm - Z: 42  Ø No : 3942497 - 3940239
314 085 0001 OLD NO RK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO 01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Wbo No : 911 501 920 2	307 085 0001 OLD NO 01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Wbo No : 911 501 920 2	
152 185 4038 OLD NO RK.01.130.13 Repair Kit   Wbo No: 412 352 923 *			
312 040 0001 OLD NO 01.026 Bushing  40x26 			

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
CUMMINS
INTERACT 6.0

OLD NO 01.04.210

YUMAK NO[®]
152 180 0700



OE NO
4980796

KNORR NO
K01837101

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M22x1.5
Port 4
M10x1
Port 8.1
1/8" - NPTF
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M18x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
10.5 kg


152 180 0710 OLD NO RK.01.868

Complete Cylinder Head



152 180 0721 OLD NO RK.01.616.02

Valve Plate Kit



152 180 0720 OLD NO RK.01.616


Valve Plate Kit



Ø No : 9Ø18391
Knorr No : SEB01593004


152 180 0730 OLD NO RK.01.159.03



Repair Kit



152 180 0731 OLD NO RK.01.159.28

Repair Kit



303 180 0702 OLD NO01.1317 Cylinder Head  	304 180 0002 OLD NO01.1219 Valve Plate  		301 180 0002 OLD NO01.1314 Crankcase  
302 145 0101 OLD NO01.1339 Crankshaft  M18x1,5 Left Hand 	311 038 0217 OLD NO01.1389 Crankshaft Flange  	308 032 0016 OLD NO01.1101 Connecting Rod  Knorr No : SEB22464 EB02800	
314 080 0003 OLD NORK.01.601 Piston&Ring 314 080 1003Ø80,25 mm 314 080 2003Ø80,50 mm 314 080 3003Ø80,75 mm 314 080 4003Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 Knorr No: SEB22517	306 080 0003 OLD NO01.1201 Piston 306 080 1003Ø80,25 mm 306 080 2003Ø80,50 mm 306 080 3003Ø80,75 mm 306 080 4003Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 	307 080 0004 OLD NO01.1226 Ring 307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 	
152 180 0733 OLD NORK.01.159.17 Repair Kit  Knorr No: SEB22518*	152 180 0735 OLD NORK.01.159.05 Repair Kit  Knorr No: SEB018190051		
312 040 0001 OLD NO01.026 Bushing  40x26 			

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.093

YUMAK NO[®]
152 185 3101



OE NO
4930344

WABCO NO
911 155 062 0

OLD NO 01.06.093.10

YUMAK NO[®]
152 185 3100

WITHOUT GEAR



Application - Vehicle
CUMMINS ISB / ISF
QSB

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
1.5/16" - 12UN
Port 2
Ø16 mm
Port 8.1
7/16" - 20 UNF - 2A
Port 9.1
1/2" - SAE J2044
Port 9.2
1/2" - SAE J2044
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
19 kg


152 185 3110 OLD NO RK.01.720.10

Complete Cylinder Head




152 185 3131 OLD NO RK.01.414.07

Repair Kit




152 185 3130 OLD NO RK.01.414.08

Repair Kit



152 185 3134 OLD NO RK.01.414.09


Repair Kit



152 185 3132 OLD NO RK.01.414.02

Repair Kit



303 185 0110 OLD NO01.1517.10 Cylinder Head   Ø No : 3357230 Mo No : 884 502 541 4 911 155 653 4	304 185 0209 OLD NO01.1431.10 Valve Plate   Ø No : 3357401 Mo No : 911 155 650 2 911 155 803 2		301 185 0113 OLD NO01.1603.01 Crankcase   8 680437 163886
302 156 0007 OLD NO01.1640 Crankshaft   M20x1,5 Right Hand 8 680437 108900	311 052 0202 OLD NO01.1649.10 Crankshaft Flange   8 680437 139294	308 032 0007 OLD NO01.272 Connecting Rod   Ø No : 3357219 Mo No : 911 145 737 2	309 037 0003 OLD NO01.1648 Gear   Ø100,40 mm - Z: 37 8 680437 091028
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Mo No : 911 501 624 2 911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Mo No : 911 501 920 2	
152 185 3133 OLD NORK.01.414.10 Repair Kit   8 680437 122043			
312 040 0001 OLD NO01.026 Bushing  40x26  8 680437 071679			

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
CUMMINS
INTERACT 4.0

OLD NO 01.04.213

YUMAK NO®
152 180 0900



OE NO
3968694
4934953

KNORR NO
LK3870
K002974TU
K002974TU61
K002974TU60

OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
1.5/16" - 12UN
Port 2
Ø16 mm
Port 8.1
7/16" - 20 UNF - 2A
Port 9.1
1/2" - SAE J2044
Port 9.2
1/2" - SAE J2044
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
19 kg

152 180 0910 OLD NO RK.01.868

Complete Cylinder Head




152 180 0921 OLD NO RK.01.616.02

Valve Plate Kit



152 180 0920 OLD NO RK.01.616


Valve Plate Kit



Ø No : 9Ø18391
Knorr No : SEB01593004


152 180 0930 OLD NO RK.01.159.03

Repair Kit




152 180 0935 OLD NO RK.01.159.05

Repair Kit



Knorr No : SEB018190051



303 180 0702 OLD NO01.1317 Cylinder Head  8 680437 100423	304 180 0002 OLD NO01.1219 Valve Plate  8 680437 100812 Knorr No : SEB01915004		301 180 0002 OLD NO01.1314 Crankcase  8 680437 073437
302 145 0101 OLD NO01.1339 Crankshaft  M18x1,5 Left Hand 8 680437 072430	311 038 0019 OLD NO01.1392 Crankshaft Flange  8 680437 072225	308 032 0016 OLD NO01.1101 Connecting Rod  8 680437 016069 Knorr No : SEB22464 EB02800	
314 080 0003 OLD NORK.01.601 Piston&Ring 314 080 1003Ø80,25 mm 314 080 2003Ø80,50 mm 314 080 3003Ø80,75 mm 314 080 4003Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 067054 Knorr No: SEB22517	306 080 0003 OLD NO01.1201 Piston 306 080 1003Ø80,25 mm 306 080 2003Ø80,50 mm 306 080 3003Ø80,75 mm 306 080 4003Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 017530	307 080 0004 OLD NO01.1226 Ring 307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 017882	
152 180 0933 OLD NORK.01.159.17 Repair Kit  8 680437 119043			
312 040 0001 OLD NO01.026 Bushing  40x26 8 680437 071679			

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

Application - Vehicle
CUMMINS

OLD NO 01.04.177

YUMAK NO[®]
152 185 0801



OE NO
3104216
3104216RX

WABCO NO
911 153 607 0

OLD NO 01.04.177.10

YUMAK NO[®]
152 185 0800


WITHOUT GEAR



Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø20.4 mm
Port 2
M27x2
Port 4
Ø14 mm
Port 8.1
Ø10 mm
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
-
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
14 bar
Weight
22 kg

152 185 0810 OLD NO RK.01.483


Complete Cylinder Head



Ø No : 4936225
Wbo No : 911 153 921 2

152 185 0831 OLD NO RK.01.067.01


Repair Kit



Ø No : 4089238
Wbo No : 911 154 929 2

152 185 0835 OLD NO RK.01.067.02


Repair Kit



Ø No : 4089238
Wbo No : 911 154 929 2

152 185 0830 OLD NO RK.01.067


Repair Kit





NB Nitrile rbr gbt

152 185 0834 OLD NO RK.01.067.04

Repair Kit




NB Nonabioscopie ght material
for urn cylinderhead

303 185 0006 OLD NO01.900 Cylinder Head  	304 185 0005 OLD NO01.901 Valve Plate  	313 903 6308 OLD NO00.999 Crankcase  88 	301 185 0012 OLD NO01.1593 Crankcase  
302 156 0005 OLD NO01.1564 Crankshaft  	311 040 0004 OLD NO01.1222 Crankshaft Flange  Θ No : 6585542 - 4089222 Wbo No : 911 153 925 2	308 032 0007 OLD NO01.272 Connecting Rod  Θ No : 3357219 Wbo No : 911 145 737 2	309 038 0002 OLD NO01.1646 Gear  Ø132,50 mm - Z: 38 Θ No : 3680550
314 085 0001 OLD NORK.01.104 Piston&Ring 314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00 Wbo No: 911 501 624 2 911 501 625 2	306 085 0001 OLD NO01.142 Piston 306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00 8 680437 018674	307 085 0001 OLD NO01.373 Ring 307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00 Wbo No : 911 501 920 2	
152 185 0832 OLD NORK.01.067.05 Repair Kit  	152 185 0833 OLD NORK.01.067.06 Repair Kit  	152 185 0836 OLD NORK.01.513 Repair Kit  	
312 040 0001 OLD NO01.026 Bushing  40x26 			

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.217

YUMAK NO[®]
152 185 1501



OE NO
4934957

WABCO NO
911 153 552 0

OLD NO 01.04.217.10

YUMAK NO[®]
152 185 1500 WITHOUT GEAR




Application - Vehicle
CUMMINS

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
3/4" - 14 NPTF
Port 2
3/4" - 14 NPTF
Port 4
M10x1
Port 8.1
Ø6.8 mm
Port 9.1
1/2" - 14 NPTF
Port 9.2
1/2" - 14 NPTF
Crankshaft Thread
M20x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
14.5 kg

152 185 1501 OLD NO RK.01.720


Complete Cylinder Head



Wbo No : 911 155 804 2
8 680437 077527

152 185 1531 OLD NO RK.01.414.01


Repair Kit



8 680437 064985

152 185 1530 OLD NO RK.01.414

Repair Kit



NB Nitride rbr ght
8 680437 064978

152 185 1534 OLD NO RK.01.414.04


Repair Kit




NB Nonabioscopite ght aterial for wn cylinderhead
8 680437 122067

152 185 1535 OLD NO RK.01.414.03

Repair Kit



Wbo No : 911 154 929 2*
8 680437 122050

303 185 0010 OLD NO01.1517 Cylinder Head   Ø No : 3357402 - BB2K893A Mo No : 911 155 655 4 884 502 579 4	304 185 0009 OLD NO01.1431 Valve Plate   Ø No : 3357400 - BB2A32A Mo No : 844 503 200 2 911 155 652 2		301 185 0016 OLD NO01.1855 Crankcase   8 680437 141181
302 156 0008 OLD NO01.1856 Crankshaft  M20x1.5 Right Hand  8 680437 141198	311 052 0302 OLD NO01.1649.20 Crankshaft Flange   8 680437 141204	308 032 0007 OLD NO01.272 Connecting Rod   Ø No : 3357219 Mo No : 911 145 737 2	309 036 0005 OLD NO01.1918 Gear  Ø100,75 mm - Z: 36  8 680437 164289
314 085 0001 OLD NORK.01.104 Piston&Ring 314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Mo No : 911 501 624 2 911 501 625 2	306 085 0001 OLD NO01.142 Piston 306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  8 680437 018674	307 085 0001 OLD NO01.373 Ring 307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Mo No : 911 501 920 2	
152 185 1532 OLD NORK.01.414.02 Repair Kit   8 680437 076490	152 185 1533 OLD NORK.01.414.05 Repair Kit   8 680437 122043		
312 055 0001 OLD NO01.1123 Bushing  59x55x18  Ø No : 3357207 Mo No : 911 155 200 4			

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.124

YUMAK NO[®]
152 185 0301



OE NO

3944524
3944525
3948846

WABCO NO

911 153 530 0

OLD NO 01.04.124.10

YUMAK NO[®]
152 185 0300

WITHOUT GEAR



Application - Vehicle

CUMMINS L / M / N
B / ISC

Brand

YUMAK Original
Cylinder Diameter

Ø85 mm

Volume

318 cc

Piston Operating Distance

56 mm

Port 0

Ø20.4 mm

Port 2

M27x2

Port 4

Ø14 mm

Port 8.1

M10x1

Port 9.1

3/4" - 16 UNF

Port 9.2

3/4" - 16 UNF

Crankshaft Thread

M20x1.5 LH

Number of Cylinders

1

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

14 bar

Weight

17.65 kg

152 185 0310

OLD NO RK.01.430

Complete Cylinder Head




8 680437 065142 **Ø No** : 4936226
Wbo No : 911 153 920 2

152 185 0331

OLD NO RK.01.067.01

Repair Kit




8 680437 059479

152 185 0335

OLD NO RK.01.067.02

Repair Kit




8 680437 078227 **Ø No** : 4089238
Wbo No : 911 154 929 2

152 185 0330

OLD NO RK.01.067

Repair Kit




8 680437 059455 **NB Nitrile rbr ght**



152 185 0334

OLD NO RK.01.067.04

Repair Kit



8 680437 059486 **NB Nonabscopite ght material for wn cylinderhead**

303 185 0206 OLD NO01.990 Cylinder Head  	304 185 0005 OLD NO01.901 Valve Plate  	312 055 0003 OLD NO01.1954 Bushing  5955x8 	301 185 0011 OLD NO01.1592 Crankcase  
302 156 0105 OLD NO01.1636 Crankshaft  M20x1.5 Right Hand 	311 040 0004 OLD NO01.1222 Crankshaft Flange  Θ No : 6585542 - 4089222 Wbo No : 911 153 925 2	308 032 0007 OLD NO01.272 Connecting Rod  Θ No : 3357219 Wbo No : 911 145 737 2	309 042 0001 OLD NO01.1225 Gear  Ø113,90 mm - Z: 42 Θ No : 3942497 - 3940239
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 Wbo No: 911 501 624 2 911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 Wbo No : 911 501 920 2	
152 185 0332 OLD NORK.01.067.05 Repair Kit  	152 185 0333 OLD NORK.01.067.06 Repair Kit  	152 185 0336 OLD NORK.01.513 Repair Kit  	
313 903 6308 OLD NO00.999 Roller Bearing  88 			

Single Cylinder Compressor
Ø92 mm – 360 cc – Stroke 56 mm

Application – Vehicle
CUMMINS QSB 6.7

OLD NO 01.04.149

YUMAK NO[®]
152 192 0100



OE NO
4936049

KNORR NO
LP3977
K014799000

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
360 cc
Piston Operating Distance
56 mm
Port 0
M26x1.5
Port 2
M26x1.5
Port 8.1
Ø13.86 mm
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M18x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
13.5 kg


152 192 0110 OLD NO RK.01.644.30

Complete Cylinder Head



152 192 0121 OLD NO RK.01.645.01

Valve Plate Kit




152 192 0120 OLD NO RK.01.645

Valve Plate Kit



152 192 0130 OLD NO RK.01.395.06


Repair Kit



NB Nitride rbr gkt
Knorr No: SEB22532



152 192 0134 OLD NO RK.01.395.04

Repair Kit



NB Nonabioscopie gkt material
for wn cylinderhead



303 192 0702 OLD NO01.1304.30 Cylinder Head   Knorr No : K014824	304 192 0001 OLD NO01.186 Valve Plate   Knorr No : SEB01694004 Y004550	305 192 0101 OLD NO01.940.10 Cooling Plate   Knorr No : K077669	301 185 0008 OLD NO01.1633 Crankcase  
302 154 0002 OLD NO01.1207 Crankshaft  M18x1.5 Leftt Hand 	311 038 0019 OLD NO01.1392 Crankshaft Flange   Knorr No : SEB018190061	308 032 0016 OLD NO01.1101 Connecting Rod   Knorr No : SEB22464 EB02800	
314 092 0001 OLD NORK.01.318 Piston&Ring 314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm  Ø92,00 mm 2,50+2,50+4,00  Knorr No: K006026 - K012079 SEB22530 - K012079K56 K012079K57	306 092 0001 OLD NO01.862 Piston 306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm  Ø92,00 mm 2,50+2,50+4,00 	307 092 0002 OLD NO01.942 Ring 307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm  Ø92,00 mm 2,50+2,50+4,00 	
152 192 0131 OLD NORK.01.395.05 Repair Kit  	152 192 0132 OLD NORK.01.395.02 Repair Kit  		
312 038 0003 OLD NO01.292 Bushing  2xØ25  Mbo No : 411 255 340 4			

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

Application - Vehicle
CUMMINS

OLD NO 01.04.240

YUMAK NO[®]
152 185 1101



OE NO
4295612

WABCO NO
911 153 935 0
911 153 022 0

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø25 mm
Port 2
M27x2
Port 4
M10x1
Port 8.1
Ø5 mm
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
-
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
17 kg

152 185 1110

OLD NO RK.01.483.10


Complete Cylinder Head



152 185 1131

OLD NO RK.01.067.11


Repair Kit



152 185 1135

OLD NO RK.01.067.12

Repair Kit




Mbo No: 911 154 929 2*

152 185 1130

OLD NO RK.01.067.10

Repair Kit




NB Nitrile rbr gbt

152 185 1134


OLD NO RK.01.067.14

Repair Kit



NB Nonabsorbible ght material
for wn cylinderhead



303 185 0006 OLD NO01.900 Cylinder Head  	304 185 0205 OLD NO01.901.20 Valve Plate  	313 903 6308 OLD NO00.999 Roller Bearing  88 	301 185 0117 OLD NO01.1865.10 Crankcase  
302 156 0306 OLD NO01.1850 Crankshaft  		308 032 0007 OLD NO01.272 Connecting Rod  Ø No : 3357219 Mo No : 911 145 737 2	309 020 0002 OLD NO01.1909 Gear  Ø44,20 mm - Z: 20 
314 085 0001 OLD NORK.01.104 Piston&Ring 314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Mo No: 911 501 624 2 911 501 625 2	306 085 0001 OLD NO01.142 Piston 306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00 	307 085 0001 OLD NO01.373 Ring 307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Mo No : 911 501 920 2	
152 185 1133 OLD NORK.01.067.13 Repair Kit  	152 185 1136 OLD NORK.01.718 Repair Kit  		
312 038 0003 OLD NO01.292 Bushing  ØxØ25  Mo No : 411 255 340 4			

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
CUMMINS

OLD NO 01.04.208

YUMAK NO[®]
152 180 0600



OE NO
4933229

KNORR NO
K011246

OLD NO

YUMAK NO[®]

- Brand
YUMAK Original
- Cylinder Diameter
Ø80 mm
- Volume
225 cc
- Piston Operating Distance
45 mm
- Port 0
M26x1.5
- Port 2
M22x1.5
- Port 4
M10x1
- Port 8.1
Ø6 mm
- Port 9.1
M16x1.5
- Port 9.2
M16x1.5
- Crankshaft Thread
M18x1.5 LH
- Number of Cylinders
1
- Cooling
Water
- ESS Feature
Yes
- Water Cooled Valve Plate
Yes
- Direct Working
Yes
- Maximum Op. Pressure
10 bar
- Weight
10.5 kg

152 180 0610 OLD NO RK.01.683.01

Complete Cylinder Head



152 180 0620 OLD NO RK.01.638

Valve Plate Kit



152 180 0621 OLD NO RK.01.638.01


Repair Kit



Knorr No: SEB01916K50


152 180 0630 OLD NO RK.01.159.03

Repair Kit





152 180 0633 OLD NO RK.01.159.15

Repair Kit



Knorr No: SEB22518



303 180 0402 OLD NO01.1301 Cylinder Head   Knorr No: SEB01629004	304 180 0102 OLD NO01.1290 Valve Plate  		301 180 0002 OLD NO01.1314 Crankcase  
302 145 0101 OLD NO01.1339 Crankshaft  M18x1.5 Left Hand 	311 038 0217 OLD NO01.1389 Crankshaft Flange  	308 032 0016 OLD NO01.1101 Connecting Rod   Knorr No : SEB22464 EB02800	
314 080 0003 OLD NO RK.01.601 Piston&Ring 314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00  Knorr No : SEB22517	306 080 0003 OLD NO01.1201 Piston 306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 	307 080 0004 OLD NO01.1226 Ring 307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 	
152 180 0632 OLD NO RK.01.159.08 Repair Kit   Knorr No: SEB018190052	152 180 0636 OLD NO RK.01.159.16 Repair Kit  		
312 038 0003 OLD NO01.292 Bushing  2xØ25  Mo No : 411 255 340 4			

Twin Cylinder Compressor
Ø75 mm - 495 cc - Stroke 56 mm

Application - Vehicle
CUMMINS

OLD NO 01.04.127

YUMAK NO®
152 275 0101



OE NO

5272391
3976374
5286661
5286681
4945947
4945947RX

WABCO NO

911 516 010 R
911 516 010 O
911 516 500 O
912 540 006 O

OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø75 mm
Volume
495 cc
Piston Operating Distance
56 mm
Port 0
Ø25 mm
Port 2
M27x2
Port 4
M10x1
Port 8.1
M10x1
Port 9.1
3/4" - 16 UNF
Port 9.2
3/4" - 16 UNF
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
2
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
23.2 kg

152 275 0110 OLD NO RK.01.617


Complete Cylinder Head



8 680437 067313 Mo No: 911 516 920 2

152 275 0131 OLD NO RK.01.618.01


Repair Kit



8 680437 121701

152 275 0130 OLD NO RK.01.618


Repair Kit



8 680437 112525 NB Nitrile rbr gkt

152 275 0134 OLD NO RK.01.618.04


Repair Kit



8 680437 067337 NB Nonabsorbible gkt material for wn cylinderhead


152 275 0132 OLD NO RK.01.618.23

Repair Kit



8 680437 072751



303 275 0009 OLD NO 01.1209 Cylinder Head   8 680437 017653	304 275 0009 OLD NO 01.1210 Valve Plate   8 680437 017684	305 275 0004 OLD NO 01.1095 Cooling Plate   8 680437 015949	301 275 0010 OLD NO 01.1221 Crankcase   8 680437 017837
302 256 0005 OLD NO 01.1220 Crankshaft  M20x1.5 Right Hand  8 680437 017820	311 040 0004 OLD NO 01.1222 Crankshaft Flange   8 680437 017844 Ø No : 6585542 - 4089222 Wbo No : 911 153 925 2	308 032 0020 OLD NO 01.1224 Connecting Rod   8 680437 017868	309 042 0001 OLD NO 01.1225 Gear   8 680437 017875 Ø113,90 mm - Z: 42 Ø No : 3942497 - 3940239
314 075 0004 OLD NO RK.01.118 Piston&Ring  314 075 1004 Ø75,25 mm 314 075 2004 Ø75,50 mm 314 075 3004 Ø75,75 mm 314 075 4004 Ø76,00 mm  8 680437 060482 Ø75,00 mm 2,00+2,00+4,00 Wbo No : 411 141 623 2 411 522 620 2	306 075 0005 OLD NO 01.911 Piston   8 680437 028277 306 075 1005 Ø75,25 mm 306 075 2005 Ø75,50 mm 306 075 3005 Ø75,75 mm 306 075 4005 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00	307 075 0001 OLD NO 01.134 Ring   8 680437 018278 307 075 1001 Ø75,25 mm 307 075 2001 Ø75,50 mm 307 075 3001 Ø75,75 mm 307 075 4001 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00 Ø No : 3090388 Knorr No : 601770061	
152 275 0133 OLD NO RK.01.618.06 Repair Kit   8 680437 163893	152 275 0136 OLD NO RK.01.618.30 Repair Kit   8 680437 124092		
312 038 0003 OLD NO 01.292 Bushing  2xØ25  8 680437 073871 Wbo No : 411 255 340 4			

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.097

YUMAK NO®
152 185 3701



OE NO
3357107

WABCO NO
911 155 500 0

OLD NO 01.06.097.10

YUMAK NO®
152 185 3700

WITHOUT GEAR



Application - Vehicle
CUMMINS 6BTAA 5.9

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø19.05 mm
Port 2
Ø16 mm
Port 4
M10x1
Port 8.1
7/16" - 20 UNF - 2A
Port 9.1
Ø12.7 mm
Port 9.2
Ø12.7 mm
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
18 kg


152 185 3710 OLD NO RK.01.720

Complete Cylinder Head




152 185 3731 OLD NO RK.01.414.01

Repair Kit



152 185 3730 OLD NO RK.01.414

Repair Kit




152 185 3734 OLD NO RK.01.414.04


Repair Kit



152 185 3735 OLD NO RK.01.414.03

Repair Kit



303 185 0010 OLD NO01.1517 Cylinder Head  Ø No : 3357402 - B6XK893A Wbo No : 911 155 655 4 884 502 579 4 	314 185 0009 OLD NO01.1431 Valve Plate  Ø No : 3357400 - B6X832A Wbo No : 911 155 652 2 884 503 200 2 		301 185 0313 OLD NO01.1603.03 Crankcase  Ø No : 3357400 - B6X832A Wbo No : 911 155 652 2 884 503 200 2 
302 156 0007 OLD NO01.1640 Crankshaft  Ø No : 3357400 - B6X832A Wbo No : 911 155 652 2 884 503 200 2 M20x1.5 Right Hand 	311 052 0202 OLD NO01.1649.10 Crankshaft Flange  Ø No : 3357400 - B6X832A Wbo No : 911 155 652 2 884 503 200 2 	308 032 0007 OLD NO01.272 Connecting Rod  Ø No : 3357219 Wbo No : 911 145 737 2 	309 036 0004 OLD NO01.1888 Gear  Ø No : 3357219 Wbo No : 911 145 737 2 Ø100,60 mm - Z: 36 
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Wbo No : 911 501 920 2	
152 185 3732 OLD NORK.01.414.02 Repair Kit  	152 185 3733 OLD NORK.01.414.05 Repair Kit  		

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.178

YUMAK NO[®]
152 185 0101



OE NO		WABCO NO
3969110	4933782	911 153 938 0
3949718	5301094	
4936218	3944525	
5286677	3948846	
3966520	3949098	

OLD NO 01.04.178.10

YUMAK NO[®]
152 185 0100

WITHOUT GEAR



Application - Vehicle
CUMMINS

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø20.5 mm
Port 2
M27x2
Port 4
M10x1
Port 8.1
M10x1
Port 9.1
3/4" - 16 UNF
Port 9.2
3/4" - 16 UNF
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
19.4 kg


152 185 0110 OLD NO RK.01.430

Complete Cylinder Head




152 185 0130 OLD NO RK.01.067

Repair Kit




152 185 0134 OLD NO RK.01.067.04

Repair Kit




152 185 0131 OLD NO RK.01.067.01



Repair Kit



152 185 0135 OLD NO RK.01.067.02

Repair Kit



303 185 0206 OLD NO01.990 Cylinder Head  	314 185 0005 OLD NO01.901 Valve Plate  	313 903 6308 OLD NO00.999 Crankcase  	301 185 0011 OLD NO01.1592 Crankcase  
302 156 0105 OLD NO01.1636 Crankshaft  M20x1.5 Right Hand 	311 040 0004 OLD NO01.1222 Crankshaft Flange   Ø No : 6585542 - 4089222 Wbo No : 911 153 925 2	308 032 0007 OLD NO01.272 Connecting Rod   Ø No : 3357219 Wbo No : 911 145 737 2	309 042 0001 OLD NO01.1225 Gear  Ø113,90 mm - Z: 42  Ø No : 3942497 - 3940239
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Wbo No : 911 501 920 2	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Wbo No : 911 501 920 2	
152 185 0132 OLD NORK.01.067.05 Repair Kit  	152 185 0136 OLD NORK.01.067.06 Repair Kit  	152 185 0137 OLD NORK.01.513 Repair Kit  	

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.183

YUMAK NO[®]
152 185 0501



OE NO

5272928
4991799
5286970
5301100

WABCO NO

911 153 020 0

OLD NO 01.04.183.10

YUMAK NO[®]
152 185 0500

WITHOUT GEAR



Application - Vehicle
CUMMINS

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø20.5 mm
Port 2
M27x2
Port 4
M10x1
Port 8.1
M10x1
Port 9.1
3/4" - 16 UNF
Port 9.2
3/4" - 16 UNF
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
19.0 kg


152 185 0510 OLD NO RK.01.430

Complete Cylinder Head




152 185 0530 OLD NO RK.01.067

Repair Kit




152 185 0534 OLD NO RK.01.067.04

Repair Kit




152 185 0531 OLD NO RK.01.067.01



Repair Kit




152 185 0535 OLD NO RK.01.067.02

Repair Kit



303 185 0206 OLD NO01.990 Cylinder Head  	314 185 0005 OLD NO01.901 Valve Plate  		301 185 0014 OLD NO01.1650 Crankcase  
302 156 0009 OLD NO01.1992 Crankshaft  M20x1,5 Right Hand 	313 903 6308 OLD NO00.999 Roller Bearing  88 	308 032 0007 OLD NO01.272 Connecting Rod   Ø No : 3357219 Wbo No : 911 145 737 2	309 042 0001 OLD NO01.1225 Gear  Ø113,90 mm - Z: 42  Ø No : 3942497 - 3940239
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001Ø85,50 mm 314 085 3001Ø85,75 mm 314 085 4001Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001Ø85,50 mm 306 085 3001Ø85,75 mm 306 085 4001Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Wbo No : 911 501 920 2	
152 185 0532 OLD NORK.01.067.05 Repair Kit  	152 185 0533 OLD NORK.01.067.06 Repair Kit  	152 185 0536 OLD NORK.01.513 Repair Kit  	



MACK

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

MACK



Single Cylinder Compressor
Ø85 mm - 218 cc - Stroke 56 mm

Application - Vehicle
MACK

OLD NO 01.04.206

YUMAK NO[®]
153 185 0600



OE NO

303GB5129AM
6300-911153055R
8235-S9111530550
8235-S9111530550X

WABCO NO

911 153 540 0
911 153 055 0
911 153 055 9
911 153 055 R

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
218 cc
Piston Operating Distance
56 mm
Port 0
Ø25 mm
Port 2
1/2" - 14 NPT
Port 4
1/8" - 27 NPTF
Port 8.1
Ø11.6 mm
Port 9.1
3/8" - 18 NPT
Port 9.2
3/8" - 18 NPT
Crankshaft Thread
7/8" - 14 - 2A UNF
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
18.25 kg

153 185 0610

OLD NO RK.01.564

Complete Cylinder Head




8 680437 066699 Wbo No : 911 153 943 2

153 185 0631

OLD NO RK.01.067.01

Repair Kit




8 680437 059479

153 185 0635

OLD NO RK.01.067.02

Repair Kit




8 680437 078227 Ø No : 4089238 Wbo No : 911 154 929 2

153 185 0630

OLD NO RK.01.067

Repair Kit




8 680437 059455 NB Nitrile rbr gkt

153 185 0634




OLD NO RK.01.067.04

Repair Kit



8 680437 059486 NB Nonabrasive gkt material for wn cylinderhead



303 185 0106 OLD NO01.953 Cylinder Head  	304 185 0105 OLD NO01.901.10 Valve Plate  	313 903 6308 OLD NO00.999 Roller Bearing  	301 185 0010 OLD NO01.1591 Crankcase  
302 156 0006 OLD NO01.1635 Crankshaft  		308 032 0007 OLD NO01.272 Connecting Rod  Mo No : 911 145 737 2	
314 085 0001 OLD NORK.01.104 Piston&Ring 314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Mo No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston 306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Mo No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2	307 085 0001 OLD NO01.373 Ring 307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm  Ø85,00 mm 2,00+2,00+4,00  Mo No : 001 131 11 11 Mo No : 911 501 920 2	
153 185 0632 OLD NORK.01.067.05 Repair Kit  	153 185 0633 OLD NORK.01.067.06 Repair Kit  	153 185 0636 OLD NORK.01.513 Repair Kit  	
312 040 0001 OLD NO01.026 Bushing  Ø8x26 6r Cankae 			

Twin Cylinder Compressor

Ø75 mm - 495 cc - Stroke 56 mm

Application - Vehicle

BMC

OLD NO

01.04.127

YUMAK NO[®]

149 275 0101



OE NO

CB260

CB280

WABCO NO

911 516 500 0

OLD NO

YUMAK NO[®]

Brand

YUMAK Original

Cylinder Diameter

Ø75 mm

Volume

495 cc

Piston Operating Distance

56 mm

Port 0

Ø25 mm

Port 2

M27x2

Port 4

M10x1

Port 8.1

M10x1

Port 9.1

3/4" - 16 UNF

Port 9.2

3/4" - 16 UNF

Crankshaft Thread

M20x1.5 RH

Number of Cylinders

2

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

10 bar

Weight

23.2 kg

149 275 0110

OLD NO

RK.01.617

Complete Cylinder Head



 8 680437 067313


Wbo No : 911 516 920 2

149 275 0131

OLD NO

RK.01.618.01

Repair Kit




 8 680437 121701

149 275 0130

OLD NO

RK.01.618

Repair Kit



 8 680437 067320


NB Nitrile rbr gkt

149 275 0134

OLD NO

RK.01.618.04

Repair Kit



 8 680437 081005


NB Nonabsorbible gkt material for wn cylinderhead

149 275 0132

OLD NO

RK.01.618.23

Repair Kit



 8 680437 072751



303 275 0009 OLD NO01.1209 Cylinder Head  	304 275 0009 OLD NO01.1210 Valve Plate  	305 275 0004 OLD NO01.1095 Cooling Plate  	301 275 0010 OLD NO01.1221 Crankcase  
302 256 0005 OLD NO01.1220 Crankshaft  M20x1,5 Right Hand 	311 040 0004 OLD NO01.1222 Crankshaft Flange  Mbo No : 911 153 925 2	308 032 0020 OLD NO01.1224 Connecting Rod  	309 042 0001 OLD NO01.1225 Gear  Ø113,90 mm - Z: 42 
314 075 0004 OLD NO RK.01.118 Piston&Ring  314 075 1004 Ø75,25 mm 314 075 2004 Ø75,50 mm 314 075 3004 Ø75,75 mm 314 075 4004 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00 Mbo No: 411 141 623 2 411 522 620 2	306 075 0005 OLD NO01.911 Piston  306 075 1005 Ø75,25 mm 306 075 2005 Ø75,50 mm 306 075 3005 Ø75,75 mm 306 075 4005 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00 	307 075 0001 OLD NO01.134 Ring  307 075 1001 Ø75,25 mm 307 075 2001 Ø75,50 mm 307 075 3001 Ø75,75 mm 307 055 4001 Ø76,00 mm Ø75,00 mm 2,00+2,00+4,00 Knorr No: 801770061	
149 275 0133 OLD NO RK.01.618.06 Repair Kit  	149 275 0136 OLD NO RK.01.618.30 Repair Kit  		

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.178

YUMAK NO[®]
149 185 0101



OE NO
9P921823

WABCO NO
911 153 938 0

OLD NO 01.04.178.10

YUMAK NO[®]
149 185 0100

WITHOUT GEAR



Application - Vehicle
BMC PRO 935
PRO 940

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø20.5 mm
Port 2
M27x2
Port 4
M10x1
Port 8.1
M10x1
Port 9.1
3/4" - 16 UNF
Port 9.2
3/4" - 16 UNF
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
19.4 kg

149 185 0101
MACK
AIR COMPRESSOR AND REPAIR KIT

149 185 0110 OLD NO RK.01.430


Complete Cylinder Head



Wbo No : 911 153 920 2
8 680437 065142

149 185 0130 OLD NO RK.01.067


Repair Kit



8 680437 059455

149 185 0131 OLD NO RK.01.067.01


Repair Kit



NB Nitride rbr ght
8 680437 059479

149 185 0135 OLD NO RK.01.067.02


Repair Kit





Wbo No : 911 154 929 2
8 680437 078227


149 185 0134 OLD NO RK.01.067.04

Repair Kit



NB Nonabioscopite ght aterial
for urn cylinderhead
8 680437 059486

303 185 0206 OLD NO 01.990 Cylinder Head  	304 185 0005 OLD NO 01.901 Valve Plate  	313 903 6308 OLD NO 00.999 Roller Bearing  6308 	301 185 0011 OLD NO 01.1592 Crankcase  
302 156 0105 OLD NO 01.1636 Crankshaft  M20x1.5 Right Hand 	311 040 0004 OLD NO 01.1222 Crankshaft Flange   Mo No : 911 153 925 2	308 032 0007 OLD NO 01.272 Connecting Rod   Mo No : 911 145 737 2	309 042 0001 OLD NO 01.1225 Gear  Ø113,90 mm - Z: 42 
314 085 0001 OLD NO RK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Mo No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO 01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Mo No : 000 130 34 17-000 130 53 17 Mo No : 911 501 624 2-911 501 625 2	307 085 0001 OLD NO 01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Mo No : 001 131 11 11 Mo No : 911 501 920 2	
149 185 0132 OLD NO RK.01.067.05 Repair Kit  	149 185 0136 OLD NO RK.01.067.06 Repair Kit  	149 185 0137 OLD NO RK.01.513 Repair Kit  	



VOLKSWAGEN

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

VOLKSWAGEN



Single Cylinder Compressor
Ø88 mm - 300 cc - Stroke 50 mm

OLD NO 01.04.185

YUMAK NO[®]
154 188 0100



OE NO

961200510014

KNORR NO

K001332
K001332-60
K001332-61

OLD NO

YUMAK NO[®]

Application - Vehicle

VOLKSWAGEN
13.180 / 15.180 / 17.210
16.210 CO / 17.210 OD
17-260 E OT
17.300 ATé

Brand

YUMAK Original
Cylinder Diameter

Ø88 mm

Volume

300 cc

Piston Operating Distance

50 mm

Port 0

Ø19 mm

Port 2

1/2" - 14 NPT

Port 8.1

Ø4.5 mm

Port 9.1

M14x1.5

Port 9.2

M14x1.5

Crankshaft Thread

M20x1.5 RH

Number of Cylinders

1

Cooling

Water

ESS Feature

No

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

10 bar

Weight

12 kg

154 188 0110

OLD NO RK.01.068

Complete Cylinder Head



8 680437 059493 Knorr No : B4275 - B8057
B3078004

154 188 0120

OLD NO RK.01.035

Valve Plate Kit




8 680437 058878

154 188 0131

OLD NO RK.01.037.06

Repair Kit




8 680437 058915

154 188 0130

OLD NO RK.01.037.05

Repair Kit




8 680437 058892

154 188 0133

OLD NO RK.01.037.02

Repair Kit



8 680437 120278



303 188 0002 OLD NO 01.076 Cylinder Head  8 680437 014164	304 188 0002 OLD NO 01.139 Valve Plate  8 680437 018537 Knorr No : 88715804 B4870004	312 030 0004 OLD NO 01.195 Bushing  34x30x16 8 680437 019411 Knorr No : I 4777004	301 188 0104 OLD NO 01.306.10 Crankcase  8 680437 103530
302 150 0005 OLD NO 01.1655 Crankshaft  M20x1,5 Rht Hand 8 680437 079668	311 035 0015 OLD NO 01.1654 Crankshaft Flange  8 680437 079736	308 032 0015 OLD NO 01.951 Connecting Rod  8 680437 080053	
310 188 0101 OLD NO 01.057.10 Cylinder Liner  Ø88,00 mm 8 680437 093398	314 088 0001 OLD NO RK.01.034 Piston&Ring  314 088 1001 Ø88,25 mm 314 088 2001 Ø88,50 mm 314 088 3001 Ø88,75 mm 314 088 4001 Ø89,00 mm Ø88,00 mm 2,50+2,50+4,00 8 680437 058816 Knorr No : 81169004 SEB22555	306 088 0001 OLD NO 01.110 Piston  306 088 1001 Ø88,25 mm 306 088 2001 Ø88,50 mm 306 088 3001 Ø86,75 mm 306 088 4001 Ø87,00 mm Ø88,00 mm 2,50+2,50+4,00 8 680437 015994	307 088 0001 OLD NO 01.136 Ring  307 088 1001 Ø88,25 mm 307 088 2001 Ø88,50 mm 307 088 3001 Ø88,75 mm 307 088 4001 Ø89,00 mm Ø88,00 mm 2,50+2,50+4,00 8 680437 018384 Knorr No : B95268061 B11690062
154 188 0160 OLD NO RK.01.032.02 Cylinder Liner Set  34x30x16 8 680437 093282 Knorr No : K035133K50	154 188 0136 OLD NO RK.01.357 Repair Kit  8 680437 064305		

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

OLD NO 01.04.210

YUMAK NO[®]
145 180 0100



OE NO
2R0100759E

KNORR NO
K01837101

OLD NO

YUMAK NO[®]

Application - Vehicle
VOLKSWAGEN
CONSTELLATION
17-250 / 24-250
INTERACT 6.0

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M22x1.5
Port 4
M10x1
Port 8.1
1/8" NPTF
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M18x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
10.5 kg

154 180 0110 OLD NO RK.01.868

Complete Cylinder Head



154 180 0121 OLD NO RK.01.616.02

Valve Plate Kit



154 180 0120 OLD NO RK.01.616


Valve Plate Kit



Knorr No : SEB01593004


154 180 0130 OLD NO RK.01.159.03



Repair Kit



154 180 0131 OLD NO RK.01.159.28

Repair Kit



303 180 0702 OLD NO01.1317 Cylinder Head  8 680437 109423	304 180 0002 OLD NO01.1219 Valve Plate  8 680437 017776Knorr No : SEB01915004		301 180 0002 OLD NO01.1314 Crankcase  8 680437 073437
302 145 0101 OLD NO01.1339 Crankshaft  M18x1,5 Left Hand 8 680437 072430	311 038 0217 OLD NO01.1389 Crankshaft Flange  8 680437 072096	308 032 0016 OLD NO01.1101 Connecting Rod  8 680437 016069Knorr No : SEB22464EB02800	
314 080 0003 OLD NORK.01.601 Piston&Ring 314 080 1003Ø80,25 mm 314 080 2003Ø80,50 mm 314 080 3003Ø80,75 mm 314 080 4003Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 067054Knorr No: SEB22517	306 080 0003 OLD NO01.1201 Piston 306 080 1003Ø80,25 mm 306 080 2003Ø80,50 mm 306 080 3003Ø80,75 mm 306 080 4003Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 017530	307 080 0004 OLD NO01.1226 Ring 307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 017882	
154 180 0133 OLD NORK.01.159.17 Repair Kit  8 680437 119043Knorr No: SEB22518*	154 180 0135 OLD NORK.01.159.05 Repair Kit  8 680437 120377Knorr No: SEB018190051		

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.093

YUMAK NO[®]
154 185 0401



OE NO
2TO 100 759D

WABCO NO
911 155 062 0

OLD NO 01.06.093.10

YUMAK NO[®] WITHOUT GEAR
154 185 0400



Application - Vehicle

VOLKSWAGEN 13.150
13.170 / 13.180 / 13.190
15.170 / 15.180 / 15.190
17.210 / 17.220 / 17.300
17.310 / 23.210
23.220 / 24.250
40.300 / 42.300

Brand

YUMAK Original

Cylinder Diameter

Ø85 mm

Volume

318 cc

Piston Operating Distance

56 mm

Port 0

1.5/16" - 12 UN

Port 2

Ø16 mm

Port 8.1

7/16" - 20 UNF - 2A

Port 9.1

1/2" - SAE J2044

Port 9.2

1/2" - SAE J2044

Crankshaft Thread

M20x1.5 RH

Number of Cylinders

1

Cooling

Water

ESS Feature

No

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

10 bar

Weight

19 kg

154 185 0410

OLD NO RK.01.720.10

Complete Cylinder Head




Wbo No : 911 155 802 2

154 185 0431

OLD NO RK.01.414.07


Repair Kit



154 185 0430

OLD NO RK.01.414.08

Repair Kit




NBR : Nitrile rubber gasket

154 185 0430

OLD NO RK.01.414.09

Repair Kit




NON ASB : Non-asbestos composite gasket material for worn cylinderhead

154 185 0432

OLD NO RK.01.414.02

Repair Kit



303 185 0110 OLD NO01.1517.10 Cylinder Head   Wbo No : 884 502 541 4 911 155 653 4	304 185 0209 OLD NO01.1431.10 Valve Plate   Wbo No : 911 155 650 2 911 155 803 2		301 185 0113 OLD NO01.1603.01 Crankcase   8 680437 163886
302 156 0007 OLD NO01.1640 Crankshaft  M20x1,5 Rgt Hand  8 680437 108900	311 052 0202 OLD NO01.1649.10 Crankshaft Flange   8 680437 139294	308 032 0007 OLD NO01.272 Connecting Rod   8 680437 020400 Wbo No : 911 145 737 2	309 037 0003 OLD NO01.1648 Gear  Ø100,40 mm - Z: 37  8 680437 091028
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Wbo No : 911 501 624 2 911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Wbo No : 911 501 920 2 8 680437 075431	
154 185 0433 OLD NORK.01.414.10 Repair Kit   8 680437 122043			

Single Cylinder Compressor

Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.092

YUMAK NO[®]
154 185 0701



OE NO

2T2 100 759B

WABCO NO

911 155 521 0

OLD NO 01.06.092.10

YUMAK NO[®] WITHOUT GEAR
154 185 0700



Application - Vehicle

VOLKSWAGEN
CONSTELLATION
19-320E / 19-350E
24.250 / 25-320E
25-350E / 26-260E
31.320E / 31.350E

Brand

YUMAK Original

Cylinder Diameter

Ø85 mm

Volume

318 cc

Piston Operating Distance

56 mm

Port 0

M30x1.5

Port 2

M26x1.5

Port 8.1

1/8" - 27 NPTF

Port 9.1

M16x1.5

Port 9.2

M16x1.5

Crankshaft Thread

M20x1.5 RH

Number of Cylinders

1

Cooling

Water

ESS Feature

No

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

10 bar

Weight

19.2 kg

154 185 0710

OLD NO RK.01.169.01

Complete Cylinder Head




Wbo No : 412 352 922 2
8 680437 165033

154 185 0731

OLD NO RK.01.130.05

Repair Kit




8 680437 060765

154 185 0737

OLD NO RK.01.130.12

Repair Kit




Wbo No : 412 352 002 2
8 680437 119654

154 185 0730

OLD NO RK.01.130

Repair Kit




NBR : Nitrile rubber gasket
8 680437 060734

154 185 0734



OLD NO RK.01.130.04


Repair Kit



NON ASB : Non-asbestos composite gasket material for worn cylinderhead
8 680437 118954



303 185 0001 OLD NO 01.367 Cylinder Head   8 680437 021681	304 185 0002 OLD NO 01.368 Valve Plate   8 680437 021704		301 185 0613 OLD NO 01.1603.11 Crankcase   8 680437 163879
302 156 0007 OLD NO 01.1640 Crankshaft  M20x1,5 Rgt Hand  8 680437 108900	311 052 0202 OLD NO 01.1649.10 Crankshaft Flange   8 680437 139294	308 032 0007 OLD NO 01.272 Connecting Rod   8 680437 020400 Wbo No : 911 145 737 2	309 042 0001 OLD NO 01.1225 Gear  Ø113,90 mm - Z: 42  8 680437 017875
314 085 0001 OLD NO RK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 060277 Wbo No : 911 501 624 2 911 501 625 2	306 085 0001 OLD NO 01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 018674	307 085 0001 OLD NO 01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 075431 Wbo No : 911 501 920 2	
154 185 0738 OLD NO RK.01.130.13 Repair Kit   8 680437 119661 Wbo No : 412 352 923*	154 185 0733 OLD NO RK.01.130.10 Repair Kit   8 680437 124085	154 185 0736 OLD NO RK.01.201 Repair Kit   8 680437 062110	



FORD BRASIL

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

FORD BRASIL



Single Cylinder Compressor

Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.216

YUMAK NO[®]
155 185 0101



OE NO

BG5X2875BA

WABCO NO

911 153 548 0

OLD NO 01.04.216.10

YUMAK NO[®] WITHOUT GEAR
155 185 0100



Application - Vehicle

FORD BRASIL
C 1317E / C 1517E
C 1717E / C 2428E

Brand

YUMAK Original

Cylinder Diameter

Ø85 mm

Volume

318 cc

Piston Operating Distance

56 mm

Port 0

3/4" - 14 NPTF

Port 2

3/4" - 14 NPTF

Port 4

M10x1

Port 8.1

Ø 6.8 mm

Port 9.1

1/2" - 14 NPTF

Port 9.2

1/2" - 14 NPTF

Crankshaft Thread

M20x1.5 LH

Number of Cylinders

1

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

12 bar


Weight

14.5 kg

155 185 0110

OLD NO RK.01.720

Complete Cylinder Head




Wbo No : 911 155 804 2
8 680437 077527

155 185 0131

OLD NO RK.01.414.01

Repair Kit




8 680437 064985

155 185 0130

OLD NO RK.01.414

Repair Kit




8 680437 064978 NB Nitride rbr ght

155 185 0134

OLD NO RK.01.414.04

Repair Kit




8 680437 122067 NB Nonabscopite ght aterial for urn cylinderhead

155 185 0135

OLD NO RK.01.414.03

Repair Kit



Wbo No : 911 154 929 2*
8 680437 122050

303 185 0010 OLD NO01.1517 Cylinder Head   Wbo No : 911 155 655 4 884 502 579 4	304 185 0009 OLD NO01.1431 Valve Plate   Wbo No : 884 503 200 2 911 155 652 2		301 185 0016 OLD NO01.1855 Crankcase   8 680437 141181
302 156 0008 OLD NO01.1856 Crankshaft  M20x1,5 Left Hand  8 680437 141198	311 052 0302 OLD NO01.1649.20 Crankshaft Flange   8 680437 141204	308 032 0007 OLD NO01.272 Connecting Rod   Wbo No : 911 145 737 2 8 680437 020400	309 032 0001 OLD NO01.1919 Gear  Ø98,70 mm - Z: 32  8 680437 171614
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001Ø85,50 mm 314 085 3001Ø85,75 mm 314 085 4001Ø86,00 mm Ø85,00 mm 2,002,00ØØ  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2 8 680437 060277	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001Ø85,50 mm 306 085 3001Ø85,75 mm 306 085 4001Ø86,00 mm Ø85,00 mm 2,002,00ØØ  8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00ØØ  Ø No : 001 131 11 11 Wbo No : 911 501 920 2 8 680437 075431	
155 185 0132 OLD NORK.01.414.02 Repair Kit   8 680437 076490	155 185 0133 OLD NORK.01.414.05 Repair Kit   8 680437 122043		

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.086

YUMAK NO[®]
155 185 0301



OE NO
BFOX2875AA
BFOX2875AA

WABCO NO
911 155 511 0

OLD NO 01.06.086.10

YUMAK NO[®] WITHOUT GEAR
155 185 0300




Application - Vehicle
FORD BRASIL C1215
C1317 / C1421 / C1422
C1617 / C1621 / C1622
C1630 / C1731 / C2622
C2630 / C2631
C2422 / C2425
C3222 / C3224

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø19.05 mm
Port 2
Ø16 mm
Port 4
M10x1
Port 8.1
7/16" - 20 UNF - 2A
Port 9.1
Ø12.7 mm
Port 9.2
Ø12.7 mm
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
18.5 kg

155 185 0310 OLD NO RK.01.720


Complete Cylinder Head



Wbo No : 911 155 804 2
8 680437 077527

155 185 0331 OLD NO RK.01.414.01


Repair Kit



8 680437 064985

155 185 0330 OLD NO RK.01.414

Repair Kit



NB Nitride rbr gkt
8 680437 064978

155 185 0334 OLD NO RK.01.414.04


Repair Kit




NB Nonabscopite gkt aterial for urn cylinderhead
8 680437 122067

155 185 0335 OLD NO RK.01.414.03

Repair Kit



Wbo No : 911 154 929 2*
8 680437 122050

303 185 0010 OLD NO01.1517 Cylinder Head   Wbo No : 911 155 655 4 884 502 579 4	304 185 0009 OLD NO01.1431 Valve Plate   Wbo No : 884 503 200 2 911 155 652 2		301 185 0013 OLD NO01.1603 Crankcase   8 680437 103110
302 156 0007 OLD NO01.1640 Crankshaft  M20x1,5 Rgt Hand  8 680437 108900	311 052 0002 OLD NO01.1649 Crankshaft Flange   8 680437 084402	308 032 0007 OLD NO01.272 Connecting Rod   Wbo No : 911 145 737 2 8 680437 020400	309 037 0003 OLD NO01.1648 Gear  Ø100,40 mm - Z: 37  8 680437 091028
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,002,0000  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2 8 680437 060277	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,002,0000  8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,002,0000  Ø No : 001 131 11 11 Wbo No : 911 501 920 2 8 680437 075431	
155 185 0332 OLD NORK.01.414.02 Repair Kit   8 680437 076490	155 185 0333 OLD NORK.01.414.05 Repair Kit   8 680437 122043		

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

OLD NO 01.04.213

YUMAK NO[®]
155 180 0100



OE NO
BG5X2875AA

KNORR NO
K002974TU
K002974TU61
K002974TU60

OLD NO

YUMAK NO[®]

Application - Vehicle
FORD BRASIL
CARGO 1317E / 1517E
1717E / 815E

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M22x1.5
Port 8.1
Ø6 mm
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
M18x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
10.8 kg

155 180 0110 OLD NO RK.01.868

Complete Cylinder Head



155 180 0121 OLD NO RK.01.616.02

Valve Plate Kit




155 180 0120 OLD NO RK.01.616

Valve Plate Kit



155 180 0130 OLD NO RK.01.159.03


Repair Kit



155 180 0135 OLD NO RK.01.159.05

Repair Kit



303 180 0702 OLD NO 01.1317 Cylinder Head   8 680437 100423	304 180 0002 OLD NO 01.1219 Valve Plate   8 680437 028178 Wbo No : SEB01915004		301 180 0002 OLD NO 01.1314 Crankcase   8 680437 073437
302 145 0101 OLD NO 01.1339 Crankshaft  M18x1,5 Left Hand  8 680437 072430	311 038 0019 OLD NO 01.1392 Crankshaft Flange   8 680437 072225 Knorr No : SEB018190061	308 032 0016 OLD NO 01.1101 Connecting Rod   8 680437 016069 Knorr No : SEB22464 EB02800	
314 080 0003 OLD NO RK.01.601 Piston&Ring  314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm Ø80,00 mm 2,502;50Ø0  8 680437 067054 Knorr No : SEB22517	306 080 0003 OLD NO 01.1201 Piston  306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm Ø80,00 mm 2,502;50Ø0  8 680437 017530	307 080 0004 OLD NO 01.1226 Ring  307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm Ø80,00 mm 2,502;50Ø0  8 680437 017882	
155 180 0133 OLD NO RK.01.159.17 Repair Kit   8 680437 119043 Knorr No: SEB22518*			

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.217

YUMAK NO®
155 185 0201



OE NO
BG7X2875BA

WABCO NO
911 153 552 0

OLD NO 01.04.217.10

YUMAK NO® WITHOUT GEAR
155 185 0200



Application - Vehicle
FORD BRASIL
C 1317E / C 1517E
C1717E / C2428E

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
3/4" - 14 NPTF
Port 2
3/4" - 14 NPTF
Port 4
M10x1
Port 8.1
Ø6.8 mm
Port 9.1
1/2" - 14 NPTF
Port 9.2
1/2" - 14 NPTF
Crankshaft Thread
M20x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
14.5 kg

155 185 0201


FORD BRASIL

AIR COMPRESSOR AND REPAIR KIT

155 185 0210

OLD NO RK.01.720

Complete Cylinder Head




Wbo No : 911 155 804 2
8 680437 077527

155 185 0231

OLD NO RK.01.414.01

Repair Kit



8 680437 064985

155 185 0230

OLD NO RK.01.414

Repair Kit



NB Nitric rbr ght
8 680437 064978

155 185 0234

OLD NO RK.01.414.04

Repair Kit




NB Nonaboscopic ght aterial for urn cylinderhead
8 680437 122067


155 185 0235

OLD NO RK.01.414.03

Repair Kit



Wbo No : 911 154 929 2*
8 680437 122050

303 185 0010 OLD NO01.1517 Cylinder Head   Wbo No : 911 155 655 4 995 502 579 4	304 185 0009 OLD NO01.1431 Valve Plate   Wbo No : 911 155 652 2 884 503 200 2		301 185 0016 OLD NO01.1855 Crankcase   8 680437 141181
302 156 0008 OLD NO01.1856 Crankshaft  M20x1,5 Rht Hand  8 680437 141198	311 052 0302 OLD NO01.1649.20 Crankshaft Flange   8 680437 141204	308 032 0007 OLD NO01.272 Connecting Rod   Wbo No : 911 145 737 2	309 036 0005 OLD NO01.1918 Gear  Ø100,75 mm - Z: 36  8 680437 164289
314 085 0001 OLD NO RK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00Ø0  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00Ø0  8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00Ø0  Ø No : 001 131 11 11 Wbo No : 911 501 920 2	
155 185 0232 OLD NO RK.01.414.02 Repair Kit   8 680437 076490	155 185 0233 OLD NO RK.01.414.05 Repair Kit   8 680437 122043		

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

Application - Vehicle
FORD BRASIL
C 5032E

OLD NO 01.06.090

YUMAK NO[®]
155 185 0401



OE NO
BG6X 2875 AA

WABCO NO
911 155 519 0

OLD NO 01.06.090.10

YUMAK NO[®] WITHOUT GEAR
155 185 0400



Brand
YUMAK Original

Cylinder Diameter
Ø85 mm

Volume
318 cc

Piston Operating Distance
56 mm

Port 0
3/4" - 14 NPTF

Port 2
3/4" - 14 NPTF

Port 4
M10x1

Port 8.1
Ø6.8 mm

Port 9.1
1/2" - 14 NPTF

Port 9.2
1/2" - 14 NPTF

Crankshaft Thread
M20x1.5 LH

Number of Cylinders
1

Cooling
Water

ESS Feature
Yes

Water Cooled Valve Plate
Yes


Direct Working
Yes

Maximum Op. Pressure
10 bar

Weight
14.5 kg

155 185 0410 OLD NO RK.01.720


Complete Cylinder Head



Wbo No : 911 155 804 2
8 680437 077527

155 185 0431 OLD NO RK.01.414.01


Repair Kit



8 680437 064985

155 185 0430 OLD NO RK.01.414

Repair Kit



NB Nitrib rbr ght
8 680437 064978

155 185 0434 OLD NO RK.01.414.04


Repair Kit




NB Nonaboscopic ght aterial for wn cylinderhead
8 680437 122067

155 185 0435 OLD NO RK.01.414.03

Repair Kit



Wbo No : 911 154 929 2*
8 680437 122050

303 185 0010 OLD NO01.1517 Cylinder Head   Wbo No : 911 155 655 4 995 502 579 4	304 185 0009 OLD NO01.1431 Valve Plate   Wbo No : 911 155 652 2 884 503 200 2		301 185 0513 OLD NO01.1603.10 Crankcase   8 680437 139232
302 156 0007 OLD NO01.1640 Crankshaft  M20x1,5 Rgt Hand  8 680437 108900	311 052 0202 OLD NO01.1649.10 Crankshaft Flange   8 680437 139294	308 032 0007 OLD NO01.272 Connecting Rod   Wbo No : 911 145 737 2 8 680437 020400	309 042 0001 OLD NO01.1225 Gear  Ø113,90 mm - Z: 42  8 680437 017875
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00Ø0  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2 8 680437 060277	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00Ø0  8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00Ø0  Ø No : 001 131 11 11 Wbo No : 911 501 920 2 8 680437 075431	
155 185 0432 OLD NORK.01.414.02 Repair Kit   8 680437 076490	155 185 0433 OLD NORK.01.414.05 Repair Kit   8 680437 122043		

Single Cylinder Compressor

Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.06.097

YUMAK NO[®]
155 185 0601



OE NO

BFOX2875BA

WABCO NO

911 155 500 0

OLD NO 01.06.097.10

YUMAK NO[®] WITHOUT GEAR
155 185 0600



Application - Vehicle

FORD BRASIL C1215
C1317 / C1421 / C1422
C1617 / C1621 / C1630
C1731 / C2422 / C2425
C2622 / C2630 / C2631
C3222 / C3224
C4030 / C4031

Brand

YUMAK Original

Cylinder Diameter

Ø85 mm

Volume

318 cc

Piston Operating Distance

56 mm

Port 0

Ø19.05 mm

Port 2

Ø16 mm

Port 4

M10x1

Port 8.1

7/16" - 20 UNF - 2A

Port 9.1

Ø12.7 mm

Port 9.2

Ø12.7 mm

Crankshaft Thread

M20x1.5 RH

Number of Cylinders

1

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

10 bar


Weight

18 kg

155 185 0610

OLD NO RK.01.720

Complete Cylinder Head




Wbo No : 911 155 804 2

155 185 0631

OLD NO RK.01.414.01


Repair Kit



155 185 0630

OLD NO RK.01.414

Repair Kit



NB Nitrib rbr ght

155 185 0634

OLD NO RK.01.414.04

Repair Kit




NB Nonabsorptive ght material for wn cylinderhead


155 185 0235


OLD NO RK.01.414.03

Repair Kit



Wbo No : 911 154 929 2*

303 185 0010 OLD NO01.1517 Cylinder Head   Wbo No : 911 155 655 4 995 502 579 4	304 185 0009 OLD NO01.1431 Valve Plate   Wbo No : 911 155 652 2 884 503 200 2		301 185 0313 OLD NO01.1603.03 Crankcase   8 680437 222842
302 156 0007 OLD NO01.1640 Crankshaft  M20x1,5 Rgt Hand  8 680437 108900	311 052 0202 OLD NO01.1649.10 Crankshaft Flange   8 680437 139294	308 032 0007 OLD NO01.272 Connecting Rod   Wbo No : 911 145 737 2 8 680437 020400	309 036 0004 OLD NO01.1888 Gear  Ø100,60 mm - Z: 36  8 680437 163855
314 085 0001 OLD NO RK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00/Ø0  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2 8 680437 060277	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00/Ø0  8 680437 018674	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,002,00/Ø0  Ø No : 001 131 11 11 Wbo No : 911 501 920 2 8 680437 075431	
155 185 0632 OLD NO RK.01.414.02 Repair Kit   8 680437 076490	155 185 0633 OLD NO RK.01.414.05 Repair Kit   8 680437 122043	155 185 0635 OLD NO RK.01.414.03 Repair Kit   Wbo No : 911 155 920 2 8 680437 122050	



NISSAN UD TRUCK

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

NISSAN UD TRUCK



Twin Cylinder Compressor
Ø85 mm – 636 cc – Stroke 56 mm

Application – Vehicle
NISSAN UD TRUCK

OLD NO 01.05.227

YUMAK NO[®]
157 285 0100



OE NO
5222373039

WABCO NO
912 551 008 0

OLD NO

YUMAK NO[®]

Brand
YUMAK Original

Cylinder Diameter
Ø85 mm

Volume
636 cc

Piston Operating Distance
56 mm

Port 0
Ø35 mm

Port 2
M26x1.5

Port 4
M16x1.5

Port 8.1
Ø16.7 mm

Port 9.1
M16x1.5

Port 9.2
M16x1.5

Crankshaft Thread
M20x1.5 RH

Number of Cylinders
2

Cooling
Water

ESS Feature
Yes

Water Cooled Valve Plate
Yes

Direct Working
Yes

Maximum Op. Pressure
14 bar

Weight
21.9 kg


157 285 0110 OLD NO RK.01.919

Complete Cylinder Head




157 285 0131 OLD NO RK.01.724.05

Repair Kit




157 285 0130 OLD NO RK.01.724

Repair Kit




157 285 0137 OLD NO RK.01.724.01


Repair Kit




157 285 0139 OLD NO RK.01.724.02

Repair Kit



303 285 0019 OLD NO 01.2261 Cylinder Head   8 680437 286585	304 285 0010 OLD NO 01.2262 Valve Plate   8 680437 286592	305 285 0010 OLD NO 01.2263 Cooling Plate   8 680437 286608	301 285 0023 OLD NO 01.2251 Crankcase   8 680437 286561
302 256 0011 OLD NO 01.2252 Crankshaft  M20x1,5 Rht Hand  8 680437 286578	311 050 0002 OLD NO 01.878 Bushing   8 680437 027898 Wbo No: 912 000 340 4 912 000 340 6	308 032 0007 OLD NO 01.272 Connecting Rod   8 680437 020400 Wbo No: 912 145 737 2	
315 085 0003 OLD NO RK.01.803 Connection Rod & Piston  Ø85,00 mm 2,00+2,00+4,00  8 680437 114567 Wbo No: 912 518 924 2 912 153 942 2	314 085 0001 OLD NO RK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001 Ø85,50 mm 314 085 3001 Ø85,75 mm 314 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 060277 Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO 01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001 Ø85,50 mm 306 085 3001 Ø85,75 mm 306 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 018674	307 085 0001 OLD NO 01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  8 680437 075431 Ø No : 001 131 11 11 Wbo No: 911 501 920 2
157 285 0135 OLD NO RK.01.724.06 Repair Kit   8 680437 285045	157 285 0138 OLD NO RK.01.724.03 Repair Kit   8 680437 285038 Wbo No: 912 512 944 2S		



CATERPILLAR

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

CATERPILLAR



Single Cylinder Compressor
Ø92 mm - 360 cc - Stroke 54 mm

OLD NO 01.04.223

YUMAK NO®
159 192 0201



OE NO

OR-1624
353-7137
223-3637
304-9991
385-0937

BENDIX NO

801463 K066812
5012531 K048942
5011427 K048943
5012532 K066832
5012533 K066838
K020283
K020284
K020285
K048941

OLD NO 01.04.223.10

YUMAK NO® WITHOUT GEAR
159 192 0200




Application - Vehicle
CATERPILLAR
C7 / C9 / C11 / C13
C15 / C18 ACERT

Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
360 cc
Piston Operating Distance
54 mm
Port 0
1-3/16" - 12 UN - 2B
Port 2
7/8" - 14 UNF 2B
Port 4
1/8" - 27 NPT
Port 8.1
7/6" - 20
Port 9.1
3/4" - 16 UNF 2B
Port 9.2
3/4" - 16 UNF 2B
Crankshaft Thread
M20x2.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
18.48 kg


159 192 0210 OLD NO RK.01.857

Complete Cylinder Head




159 192 0221 OLD NO RK.01.609.03

Valve Plate Kit




159 192 0220 OLD NO RK.01.609.02

Valve Plate Kit



159 192 0230 OLD NO RK.01.395.07

Repair Kit



159 192 0236 OLD NO RK.01.614.07

Repair Kit



159 192 0201

CATERPILLAR

AIR COMPRESSOR AND REPAIR KIT

303 192 0006 OLD NO 01.1859 Cylinder Head   8 680437 141266	304 192 0201 OLD NO 01.1204 Valve Plate   8 680437 017608 Knorr No : Y004552004	305 192 0003 OLD NO 01.1864 Cooling Plate   8 680437 163725	301 192 0013 OLD NO 01.1889 Crankcase   8 680437 163718
302 154 0005 OLD NO 01.1901 Crankshaft  M20x2,5 Rht Hand  8 680437 163732	311 040 0009 OLD NO 01.1894 Crankshaft Flange   8 680437 163794	308 032 0024 OLD NO 01.1895 Connecting Rod   8 680437 163671	309 040 0002 OLD NO 01.1892 Gear  Ø114,30 mm - Z: 40  8 680437 163800
314 092 0001 OLD NO RK.01.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  8 680437 063773 Knorr No : K006026 - K012079 - SEB22530 K012079K56 - K012079K57	306 092 0001 OLD NO 01.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  8 680437 027584	307 092 0002 OLD NO 01.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  8 680437 028666	

Single Cylinder Compressor
Ø92 mm - 360 cc - Stroke 54 mm

OLD NO 01.04.222

YUMAK NO®

159 192 0101



OE NO		BENDIX NO	
OR1623	BA-921	5014236	801826
OR1624	5014428	5014401	K048938
1916521	5011441	5014402	K048939
2531736	5012459	5014427	K048940
3537136	5012464	5010803	K056647
10R1437	5012510	5010806	K056649
2233636	5014177	5014482	K066811
2554160	5014180	801465	K066831
3850936	5014235	801798	K066837

OLD NO 01.04.222.10

YUMAK NO®

159 192 0100

WITHOUT GEAR



Application - Vehicle
CATERPILLAR
C7 ACERT
C9 ACERT
C11 ACERT
C13 ACERT
C15 ACERT
C18 ACERT

Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
360 cc
Piston Operating Distance
54 mm
Port 0
1-3/16" - 12 UN 2B
Port 2
7/8" - 14 UNF 2B
Port 4
1/8" - 27 NPT
Port 8.1
7/6" - 20
Port 9.1
3/4" - 16 UNF 2B
Port 9.2
3/4" - 16 UNF 2B
Crankshaft Thread
M20x2.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
18.48 kg

159 192 0110 OLD NO RK.01.857

Complete Cylinder Head




159 192 0121 OLD NO RK.01.609.03

Valve Plate Kit




159 192 0120 OLD NO RK.01.609.02

Valve Plate Kit




159 192 0130 OLD NO RK.01.395.07

Repair Kit



159 192 0136 OLD NO RK.01.614.07

Repair Kit



159 192 0101

CATERPILLAR

AIR COMPRESSOR AND REPAIR KIT

303 192 0006 OLD NO01.1859 Cylinder Head  8 680437 141266	304 192 0201 OLD NO01.1204 Valve Plate  8 680437 017608 Knorr No : Y004552004	305 192 0003 OLD NO01.1864 Cooling Plate  8 680437 163725	301 192 0013 OLD NO01.1889 Crankcase  8 680437 163718
302 154 0005 OLD NO01.1901 Crankshaft  M20x2,5 Rht Hand 8 680437 163732	311 040 0008 OLD NO01.1893 Crankshaft Flange  8 680437 163749	308 032 0024 OLD NO01.1895 Connecting Rod  8 680437 163671	309 042 0003 OLD NO01.1891 Gear  Ø119,85 mm - Z: 42 8 680437 017875
314 092 0001 OLD NO RK.01.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 063773 Knorr No : K006026 - K012079 - SEB22530 K012079K56 - K012079K57	306 092 0001 OLD NO01.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 027584	307 092 0002 OLD NO01.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 028666	

Single Cylinder Compressor
Ø85 mm - 318 cc - Stroke 56 mm

OLD NO 01.04.178

YUMAK NO®
149 185 0101



OE NO
9P921823

WABCO NO
911 153 938 0

OLD NO 01.04.178.10

YUMAK NO®
149 185 0100

WITHOUT GEAR



Application - Vehicle
BMC PRO 935
PRO 940

Brand
YUMAK Original
Cylinder Diameter
Ø85 mm
Volume
318 cc
Piston Operating Distance
56 mm
Port 0
Ø20.5 mm
Port 2
M27x2
Port 4
M10x1
Port 8.1
M10x1
Port 9.1
3/4" - 16 UNF
Port 9.2
3/4" - 16 UNF
Crankshaft Thread
M20x1.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
19.4 kg

149 185 0110 OLD NO RK.01.430


Complete Cylinder Head



Wbo No : 911 153 920 2

149 185 0130 OLD NO RK.01.067


Repair Kit



8 680437 059455

149 185 0131 OLD NO RK.01.067.01


Repair Kit



NB Nitrib rbr gkt

149 185 0135 OLD NO RK.01.067.02


Repair Kit



Wbo No : 911 154 929 2

149 185 0134 OLD NO RK.01.067.04

Repair Kit





NON ASB : Non-asbestos composite gasket material for wrn cylinderhead

149 185 0101

CATERPILLAR

AIR COMPRESSOR AND REPAIR KIT

303 185 0206 OLD NO01.990 Cylinder Head  	304 185 0005 OLD NO01.901 Valve Plate  	313 903 6308 OLD NO00.999 Roller Bearing  6308 	301 185 0011 OLD NO01.1592 Crankcase  
302 156 0105 OLD NO01.1636 Crankshaft  M20x1.5 Right Hand 	311 040 0004 OLD NO01.1222 Crankshaft Flange  Wbo No : 911 153 925 2	308 032 0007 OLD NO01.272 Connecting Rod  Wbo No : 911 145 737 2	309 042 0001 OLD NO01.1225 Gear  Ø113,90 mm - Z: 42 
314 085 0001 OLD NORK.01.104 Piston&Ring  314 085 1001 Ø85,25 mm 314 085 2001Ø85,50 mm 314 085 3001Ø85,75 mm 314 085 4001Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 000 130 34 17-000 130 53 17 Wbo No : 911 501 624 2-911 501 625 2	306 085 0001 OLD NO01.142 Piston  306 085 1001 Ø85,25 mm 306 085 2001Ø85,50 mm 306 085 3001Ø85,75 mm 306 085 4001Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00 	307 085 0001 OLD NO01.373 Ring  307 085 1001 Ø85,25 mm 307 085 2001 Ø85,50 mm 307 085 3001 Ø85,75 mm 307 085 4001 Ø86,00 mm Ø85,00 mm 2,00+2,00+4,00  Ø No : 001 131 11 11 Wbo No: 911 501 920 2	
149 185 0132 OLD NORK.01.067.05 Repair Kit  	149 185 0136 OLD NORK.01.067.06 Repair Kit  	149 185 0137 OLD NORK.01.513 Repair Kit  	



PACCAR

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

PACCAR



Single Cylinder Compressor
Ø100 mm – 440 cc – Stroke 56 mm

Application – Vehicle
PACCAR

OLD NO 01.01.024

YUMAK NO[®]

163 100 1001



OE NO
2121411

WABCO NO
912 218 000 0
912 218 002 0
912 218 002 7

OLD NO 01.01.024.10

YUMAK NO[®]

163 100 1000

WITHOUT GEAR



Brand
YUMAK Original
Cylinder Diameter
Ø100 mm
Volume
440 cc
Piston Operating Distance
56 mm
Port 0
Ø30 mm
Port 2
Ø20 mm
Port 4
M14x1.5
Port 8.1
M22x1.5
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
-
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
14.5 bar
Weight
22.7 kg


163 100 1010 OLD NO RK.01.949

Complete Cylinder Head




163 100 1030 OLD NO RK.01.950

Repair Kit




163 100 1031 OLD NO RK.01.950.01

Repair Kit



163 100 1035 OLD NO RK.01.950.02

Repair Kit



303 100 0014 OLD NO 01.2266 Cylinder Head  	304 100 0010 OLD NO 01.2267 Valve Plate  	305 100 0002 OLD NO 01.2268 Cooling Plate  	301 100 0003 OLD NO 01.2264 Crankcase  
302 156 0010 OLD NO 01.2265 Crankshaft  	311 050 0002 OLD NO 01.878 Bushing   Mbo No: 912 000 340 4 912 000 340 6	308 035 0007 OLD NO 01.2308 Connecting Rod   Mbo No: 411 141 732 2	309 063 0001 OLD NO 01.1428 Gear  Ø131,00 mm - Z: 63 
314 010 0004 OLD NO RK.01.866 Piston&Ring 314 010 1004 Ø100,25 mm 314 010 2004 Ø100,50 mm 314 010 3004 Ø100,75 mm 314 010 4001 Ø101,00 mm  Ø100,00 mm 1,50+1,50+3,00 	306 000 0004 OLD NO 01.1885 Piston 306 000 1004 Ø100,25 mm 306 000 2004 Ø100,50 mm 306 000 3004 Ø100,75 mm 306 000 4004 Ø101,00 mm  Ø100,00 mm 1,50+1,50+3,00 	307 000 0005 OLD NO 01.1886 Ring 307 000 1005 Ø100,25 mm 307 000 2005 Ø100,50 mm 307 000 3005 Ø100,75 mm 307 000 4005 Ø101,00 mm  Ø100,00 mm 1,50+1,50+3,00 	

Single Cylinder Compressor
Ø100 mm - 440 cc - Stroke 56 mm

Application - Vehicle
PACCAR

OLD NO 01.01.025

YUMAK NO[®]
163 100 1101



OE NO
2121412

WABCO NO
912 218 001 0
912 218 003 0

OLD NO 01.01.025.10

YUMAK NO[®]
163 100 1100


WITHOUT GEAR



Brand
YUMAK Original
Cylinder Diameter
Ø100 mm
Volume
440 cc
Piston Operating Distance
56 mm
Port 0
Ø30 mm
Port 2
Ø20 mm
Port 4
M14x1.5
Port 8.1
M22x1.5
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
-
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
14.5 bar
Weight
22.7 kg


163 100 1110 OLD NO RK.01.949

Complete Cylinder Head




163 100 1130 OLD NO RK.01.950

Repair Kit




163 100 1131 OLD NO RK.01.950.01


Repair Kit



163 100 1135 OLD NO RK.01.950.02

Repair Kit





PERKINS

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

PERKINS



Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
PERKINS PHASER

OLD NO 01.04.131

YUMAK NO®
169 180 0100



OE NO
2488A292

KNORR NO
LK3836
SEB01601

OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M22x1.5
Port 8.1
1/8" - 27 NPTF
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
5/8" - 18 UNF
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
10.5 kg

169 180 0110 OLD NO RK.01.273

Complete Cylinder Head




169 180 0120 OLD NO RK.01.638

Valve Plate Kit




169 180 0121 OLD NO RK.01.638.02

Valve Plate Kit




169 180 0130 OLD NO RK.01.159.03




Repair Kit



169 180 0135 OLD NO RK.01.159.05

Repair Kit



303 180 0102 OLD NO01.1291 Cylinder Head  8 680437 078258	304 180 0102 OLD NO01.1290 Valve Plate  8 680437 071624 Knorr No: SEB01916004	312 038 0003 OLD NO01.292 Bushing  42x38x25 8 680437 074144 Wbo No: 411 522 340 4	301 180 0204 OLD NO01.1568.10 Crankcase  8 680437 173069
302 145 0001 OLD NO01.1338 Crankshaft  5818MF 8 680437 109372	311 038 0217 OLD NO01.1389 Crankshaft Flange  8 680437 072096	308 032 0016 OLD NO01.1101 Connecting Rod  8 680437 016069 Knorr No: SEB22464 EB02800	
314 080 0003 OLD NORK.01.601 Piston&Ring  314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00 8 680437 067054 Knorr No:SEB22517	306 080 0003 OLD NO01.1201 Piston  306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00 8 680437 017530	307 080 0004 OLD NO01.1226 Ring  307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm Ø80,00 mm 2,50+2,50+4,00 8 680437 017882	
169 180 0133 OLD NORK.01.159.15 Repair Kit  8 680437 119029 Knorr No: SEB22518	169 180 0131 OLD NORK.01.159.28 Repair Kit  8 680437 122296	159 180 0134 OLD NORK.01.159.04 Repair Kit  8 680437 061489 NON ASB : Non-asbestos composite gasket material for worn cylinderhead	

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
PERKINS PHASER

OLD NO 01.04.224

YUMAK NO®
169 180 0300



OE NO
2488A294

KNORR NO
LK3837
SEB01602

OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M22x1.5
Port 8.1
1/8" - 27 NPTF
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
5/8" - 18 UNF
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
12.3 kg

169 180 0310 OLD NO RK.01.273

Complete Cylinder Head




169 180 0320 OLD NO RK.01.638

Valve Plate Kit




169 180 0321 OLD NO RK.01.638.02

Valve Plate Kit



169 180 0330 OLD NO RK.01.159.03


Repair Kit



NB Nitrib rbr gbt




169 180 0335 OLD NO RK.01.159.05

Repair Kit



Knorr No: SEB018190051



303 180 0102 OLD NO01.1291 Cylinder Head  8 680437 078258	304 180 0102 OLD NO01.1290 Valve Plate  8 680437 071624 Knorr No: SEB01916004	313 723 6207 OLD NO00.266 Roller Bearing  6207 8 680437 002857 Ø No: 14091	301 180 0204 OLD NO01.1568.10 Crankcase  8 680437 173069
302 145 0003 OLD NO01.1991 Crankshaft  5818MF 8 680437 173076	311 035 0011 OLD NO01.1990 Crankshaft Flange  8 680437 173083	308 032 0016 OLD NO01.1101 Connecting Rod  8 680437 016069 Knorr No: SEB22464 EB02800	
314 080 0003 OLD NORK.01.601 Piston&Ring 314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 067054 Knorr No:SEB22517	306 080 0003 OLD NO01.1201 Piston 306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 017530	307 080 0004 OLD NO01.1226 Ring 307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 8 680437 017882	
169 180 0333 OLD NORK.01.159.15 Repair Kit  8 680437 119029 Knorr No: SEB22518	169 180 0331 OLD NORK.01.159.28 Repair Kit  8 680437 122296	159 180 0334 OLD NORK.01.159.04 Repair Kit  NON ASB 8 680437 061489 NON ASB : Non-asbestos composite gasket material for worn cylinderhead	
169 038 0003 OLD NO01.292 Bushing  42x38x25 8 680437 073871 Wbo No: 411 522 340 4			

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
PERKINS PHASER

OLD NO 01.04.225

YUMAK NO®
169 180 0400



OE NO
2488A293

KNORR NO
LK3835
SEB01599

OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M22x1.5
Port 8.1
1/8" - 27 NPTF
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
5/8" - 18 UNF
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
12.5 kg

169 180 0410 OLD NO RK.01.615

Complete Cylinder Head



8 680437 067290 Ø No: 2488A293
Knorr No: LK3835 - SEB01599

169 180 0420 OLD NO RK.01.616


Valve Plate Kit



8 680437 067306 Ø No: 9B18391
Knorr No: SEB01593004

169 180 0421 OLD NO RK.01.616.01


Valve Plate Kit



8 680437 112297

169 180 0430 OLD NO RK.01.159


Repair Kit



8 680437 071433 NB Nitrile rbr gbt



169 180 0431 OLD NO RK.01.159.01

Repair Kit



8 680437 061472



303 180 0002 OLD NO01.1208 Cylinder Head   Knorr No: SEB01814004	304 180 0002 OLD NO01.1219 Valve Plate   Knorr No: SEB01915004	313 723 6207 OLD NO00.266 Roller Bearing  6207  Ø No: 14091	301 180 0204 OLD NO01.1568.10 Crankcase   8 680437 173069
302 145 0003 OLD NO01.1991 Crankshaft  5818MF  8 680437 173076	311 035 0011 OLD NO01.1990 Crankshaft Flange   8 680437 173083	308 032 0016 OLD NO01.1101 Connecting Rod   Knorr No: SEB22464 EB02800	
314 080 0003 OLD NORK.01.601 Piston&Ring 314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00  Knorr No:SEB22517	306 080 0003 OLD NO01.1201 Piston 306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00  8 680437 017530	307 080 0004 OLD NO01.1226 Ring 307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00  8 680437 017882	
169 180 0437 OLD NORK.01.159.20 Repair Kit   8 680437 073956	169 180 0433 OLD NORK.01.159.22 Repair Kit   8 680437 119067	169 180 0434 OLD NORK.01.159.04 Repair Kit  NON ASB  NON ASB : Non-asbestos composite gasket material for worn cylinderhead	
169 038 0003 OLD NO01.292 Bushing  42x38x25  Knorr No: 411 522 340 4			
Knorr No : 911 154 929 2			

Single Cylinder Compressor
Ø80 mm - 225 cc - Stroke 45 mm

Application - Vehicle
PERKINS PHASER

OLD NO 01.04.163

YUMAK NO®
169 180 0200



OE NO
2488A291

KNORR NO
LK3834
SEB01597

OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø80 mm
Volume
225 cc
Piston Operating Distance
45 mm
Port 0
M26x1.5
Port 2
M22x1.5
Port 9.1
M16x1.5
Port 9.2
M16x1.5
Crankshaft Thread
5/8" - 18 UNF
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
10.6 kg

169 180 0210 OLD NO RK.01.615

Complete Cylinder Head



8 680437 067290 Ø No: 2488A93
Knorr No: K3835 - SEB01599

169 180 0220 OLD NO RK.01.616

Valve Plate Kit



8 680437 067306 Ø No: 9B18391
Knorr No: SEB01593004

169 180 0221 OLD NO RK.01.616.01


Valve Plate Kit



8 680437 112297

169 180 0230 OLD NO RK.01.159


Repair Kit



8 680437 071433 NB Nitrie rbr gbt



169 180 0231 OLD NO RK.01.159.01

Repair Kit



8 680437 061472



303 180 0002 OLD NO01.1208 Cylinder Head   Knorr No: SEB01814004	304 180 0002 OLD NO01.1219 Valve Plate   Knorr No: SEB01915004		301 180 0204 OLD NO01.1568.10 Crankcase   8 680437 173069
302 145 0001 OLD NO01.1338 Crankshaft   5818MF 8 680437 109372	311 038 0217 OLD NO01.1389 Crankshaft Flange   8 680437 072096	308 032 0016 OLD NO01.1101 Connecting Rod   Knorr No: SEB22464 EB02800	
314 080 0003 OLD NO RK.01.601 Piston&Ring 314 080 1003 Ø80,25 mm 314 080 2003 Ø80,50 mm 314 080 3003 Ø80,75 mm 314 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00  Knorr No:SEB22517	306 080 0003 OLD NO01.1201 Piston 306 080 1003 Ø80,25 mm 306 080 2003 Ø80,50 mm 306 080 3003 Ø80,75 mm 306 080 4003 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 	307 080 0004 OLD NO01.1226 Ring 307 080 1004 Ø80,25 mm 307 080 2004 Ø80,50 mm 307 080 3004 Ø80,75 mm 307 080 4004 Ø81,00 mm  Ø80,00 mm 2,50+2,50+4,00 	
169 180 0235 OLD NO RK.01.159.20 Repair Kit   8 680437 073956	169 180 0233 OLD NO RK.01.159.22 Repair Kit  	169 180 0234 OLD NO RK.01.159.04 Repair Kit  NON ASB NON ASB : Non-asbestos composite gasket material for worn cylinderhead  8 680437 061489	
169 038 0003 OLD NO01.292 Bushing  42x38x25  Wbo No: 411 522 340 4			

Twin Cylinder Compressor
Ø88 mm – 608 cc – Stroke 50 mm

Application – Vehicle
PERKINS

OLD NO 01.04.011

YUMAK NO[®]
169 288 0100



OE NO
OE52096

KNORR NO
LK4934
II30895

OLD NO

YUMAK NO[®]

Brand
YUMAK Original

Cylinder Diameter
Ø88 mm

Volume
608 cc

Piston Operating Distance
50 mm

Port 0
Ø29 mm

Port 2
M26x1.5

Port 9.1
M16x1.5

Port 9.2
M16x1.5

Crankshaft Thread
M20x1.5 RH

Number of Cylinders
2

Cooling
Water

ESS Feature
No

Water Cooled Valve Plate
Yes


Direct Working
Yes

Maximum Op. Pressure
12.5 bar

Weight
24.2 kg


169 288 0110 OLD NO RK.01.309

Complete Cylinder Head




169 288 0111 OLD NO RK.01.309.20

Complete Cylinder Head




169 288 0121 OLD NO RK.01.082.20

Valve Plate Kit




169 288 0120 OLD NO RK.01.082



Valve Plate Kit




169 288 0131 OLD NO RK.01.083.01

Repair Kit



303 288 0001 OLD NO01.225 Cylinder Head  8 680437 019800	304 288 0003 OLD NO01.703 Valve Plate  8 680437 228875 Knorr No: SEB01033004S1	169 038 0003 OLD NO01.292 Bushing  42x38x25 8 680437 073871 Ø No: 411 522 340 4	301 288 0001 OLD NO01.228 Crankcase  8 680437 019855
302 250 0003 OLD NO01.227 Crankshaft  M20x1,5 Right Hand 8 680437 019831	311 038 0005 OLD NO01.288 Crankshaft Flange  8 680437 020615 Knorr No: I 59920065 SEB013090065	308 037 0001 OLD NO01.226 Connecting Rod  8 680437 019824 Knorr No: SEB00967004	
314 088 0001 OLD NO RK.01.034 Piston&Ring 314 088 1001 Ø88,25 mm 314 088 2001 Ø88,50 mm 314 088 3001 Ø88,75 mm 314 088 4001 Ø89,00 mm  Ø88,00 mm 2,50+2,50+4,00 8 680437 058816 Knorr No: B1169004 SEB22555	306 088 0001 OLD NO01.110 Piston 306 088 1001 Ø88,25 mm 306 088 2001 Ø88,50 mm 306 088 3001 Ø88,75 mm 306 088 4001 Ø89,00 mm  Ø88,00 mm 2,50+2,50+4,00 8 680437 015994	307 088 0001 OLD NO01.136 Ring 307 088 1001 Ø88,25 mm 307 088 2001 Ø88,50 mm 307 088 3001 Ø88,75 mm 307 088 4001 Ø89,00 mm  Ø88,00 mm 2,50+2,50+4,00 8 680437 018384 Knorr No: B95260061 B11690062	
169 288 0130 OLD NO RK.01.083 Repair Kit  8 680437 059820	169 288 0133 OLD NO RK.01.083.03 Repair Kit  8 680437 059851	169 288 0132 OLD NO RK.01.083.20 Repair Kit  8 680437 076964 Knorr No: SEB22561*	169 288 0136 OLD NO RK.01.088.20 Repair Kit  8 680437 124177 Ø No: 3091739 Knorr No: B26840061
169 288 0137 OLD NO RK.01.088 Repair Kit  42x38x25 8 680437 059943 Ø No: 3097145	169 288 0138 OLD NO RK.01.126 Repair Kit  42x38x25 8 680437 059943 Ø No: 3097147 Knorr No: I 59920063		



INTERNATIONAL

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

INTERNATIONAL



Single Cylinder Compressor
Ø92 mm - 360 cc - Stroke 54 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.04.221

YUMAK NO[®]

181 192 0301



OE NO
R23535534

KNORR NO
5018485X
5018653X
5018485
5018514
5018522
5018523
5018516
802767

OLD NO 01.04.221.10

YUMAK NO[®]

181 192 0300

WITHOUT GEAR



Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
360 cc
Piston Operating Distance
54 mm
Port 0
M27x2
Port 2
M22x1.5
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
M20x2.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
26.67 kg


191 192 0310 OLD NO RK.01.865

Complete Cylinder Head




191 192 0321 OLD NO RK.01.609.03

Valve Plate Kit




191 192 0320 OLD NO RK.01.609.02

Valve Plate Kit



191 192 0330 OLD NO RK.01.395.07

Repair Kit



191 192 0336 OLD NO RK.01.614.07

Repair Kit



Single Cylinder Compressor
Ø92 mm - 360 cc - Stroke 54 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.04.220

YUMAK NO[®]
181 192 0601



OE NO
23536774

BENDIX NO
BA-921
802789
5018652
5018654
5018655
5018653

OLD NO 01.04.220.10

YUMAK NO[®] WITHOUT GEAR
181 192 0600



Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
360 cc
Piston Operating Distance
54 mm
Port 0
M27x2
Port 2
M22x1.5
Port 4
1/8" - 27 NPT
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
M20x2.5 RH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
26.21 kg

181 192 0610

OLD NO RK.01.856


Complete Cylinder Head



181 192 0621

OLD NO RK.01.611.01


Valve Plate Kit



181 192 0620

OLD NO RK.01.611


Valve Plate Kit



181 192 0630

OLD NO RK.01.614


Repair Kit




181 192 0631

OLD NO RK.01.614.01

Repair Kit



303 192 0005 OLD NO01.1849 Cylinder Head  8 680437 141105	304 192 0003 OLD NO01.1213 Valve Plate  8 680437 017714 Knorr No : K011811	305 192 0002 OLD NO01.1212 Cooling Plate  8 680437 017707	301 192 0114 OLD NO01.1922 Crankcase  8 680437 164036
302 154 0006 OLD NO01.1904 Crankshaft  M20x2,5 Rht Hand 8 680437 163657	313 904 4009 OLD NO01.1905 Roller Bearing  8 680437 163664 Nachi No : 40BV091	308 032 0024 OLD NO01.1895 Connecting Rod  8 680437 163671	309 063 0002 OLD NO01.1902 Gear  Ø163,20 mm - Z: 63 8 680437 163688
314 092 0001 OLD NO RK.01.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 063773 Knorr No : K006026 - K012079 SEB22530 - K012079K56	306 092 0001 OLD NO01.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 027584	307 092 0002 OLD NO01.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 028666	
181 192 0636 OLD NO RK.01.614.08 Repair Kit  8 680437 128229 Wdo No: K137939	181 192 0632 OLD NO RK.01.614.03 Repair Kit  8 680437 121305		

Twin Cylinder Compressor
Ø70.64 mm - 298 cc - Stroke 38 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.05.194

YUMAK NO[®]

181 270 0700



OE NO

BX107506X
ZBX107506X

BENDIX NO

TU-FLO 550
065197
107506
107506X

OLD NO

YUMAK NO[®]

Brand
YUMAK Original

Cylinder Diameter
Ø70.64 mm

Volume
298 cc

Piston Operating Distance
38 mm

Port 0
-

Port 2
1/2" - 14 NPT

Port 8.1
G1/8

Port 9.1
1/2" - 14 NPT

Port 9.2
1/2" - 14 NPT

Crankshaft Thread
-

Number of Cylinders
2

Cooling
Water

ESS Feature
No

Water Cooled Valve Plate
Yes

Direct Working
Yes

Maximum Op. Pressure
10.5 bar

Weight
22.37 kg


181 270 0710 OLD NO RK.01.632

Complete Cylinder Head




181 270 0730 OLD NO RK.01.525

Repair Kit



181 270 0733 OLD NO RK.01.525.02

Repair Kit



181 270 0736 OLD NO RK.01.525.08

Repair Kit



303 270 0001 OLD NO01.1320 Cylinder Head  8 680437 102267		313 902 6011 OLD NO00.267 Roller Bearing  8 680437 009627 Bndix No : 235440	305 270 0004 OLD NO01.2245 Crankcase  8 680437 078616
302 238 0004 OLD NO01.2246 Crankshaft  8 680437 287797		308 029 0001 OLD NO01.2181 Connecting Rod  8 680437 284345	
315 070 0003 OLD NORK.01.848 Connection Rod & Piston  1 234567 890128	314 070 0002 OLD NORK.01.885 Piston&Ring  314 085 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 203070	306 070 0002 OLD NO01.1952 Piston  306 070 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 203025	307 070 0002 OLD NO01.1848 Ring  307 070 2002 Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 141082
312 055 0004 OLD NO01.2071 Bushing  8 680437 220343	312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit  8 680437 285656 Bndix No : 107651		

Twin Cylinder Compressor
Ø70.64 mm - 298 cc - Stroke 38 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.05.200

YUMAK NO[®]

181 270 1300



OE NO

BX5004613
BX5004613X
BAR5004613
ZBX5004613X

BENDIX NO

TU-FLO 550
5004613
5004613X

OLD NO

YUMAK NO[®]

Brand
YUMAK Original

Cylinder Diameter
Ø70.64 mm

Volume
298 cc

Piston Operating Distance
38 mm

Port 0
-

Port 2
1/2" - 14 NPT

Port 8.1
1/8" - 27 NPT

Port 9.1
1/2" - 14 NPT

Port 9.2
1/2" - 14 NPT

Crankshaft Thread
-

Number of Cylinders
2

Cooling
Water

ESS Feature
No

Water Cooled Valve Plate
Yes

Direct Working
Yes

Maximum Op. Pressure
10.5 bar

Weight
25.28 kg


181 270 1310 OLD NO RK.01.632

Complete Cylinder Head




181 270 1330 OLD NO RK.01.525

Repair Kit



181 270 1333 OLD NO RK.01.525.02

Repair Kit



181 270 1336 OLD NO RK.01.525.08

Repair Kit



303 270 0001 OLD NO01.1320 Cylinder Head   8 680437 102267		313 902 6011 OLD NO00.267 Roller Bearing   8 680437 009627 Bndix No : 235440	305 270 0002 OLD NO01.2188 Crankcase   8 680437 284390
302 238 0101 OLD NO01.1242.10 Crankshaft   8 680437 287698	311 055 0004 OLD NO01.2189 Connection Flange   8 680437 284413	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	
315 070 0003 OLD NORK.01.848 Connection Rod & Piston   1 234567 890128	314 070 0002 OLD NORK.01.885 Piston&Ring  314 085 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 203070	306 070 0002 OLD NO01.1952 Piston  306 070 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 203025	307 070 0002 OLD NO01.1848 Ring  307 070 2002 Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082
312 055 0004 OLD NO01.2071 Bushing   8 680437 220343	312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit   8 680437 285656 Bndix No : 107651	320 011 0013 OLD NO01.2211 Adapter   8 680437 285557	

Twin Cylinder Compressor
Ø70.64 mm - 298 cc - Stroke 38 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.05.098

YUMAK NO[®]
181 270 2801



OE NO
BX109653X

BENDIX NO
TU-FLO 550
65641
109653
109653X

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø70.64 mm
Volume
298 cc
Piston Operating Distance
38 mm
Port 0
-
Port 2
1/2" - 14 NPT
Port 8.1
1/8" - 27 NPT
Port 8.2
1/2" - 14 NPT
Port 9.1
1/2" - 14 NPT
Port 9.2
1/2" - 14 NPT
Crankshaft Thread
-
Number of Cylinders
2
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
20.04 kg

181 270 2810 OLD NO RK.01.632


Complete Cylinder Head



8 680437 168836 0 No: 107082

181 270 2830 OLD NO RK.01.525


Repair Kit



8 680437 066194 0 No: 107516

181 270 2833 OLD NO RK.01.525.02

Repair Kit



8 680437 123569

181 270 2836 OLD NO RK.01.525.08


Repair Kit



8 680437 285601 0 No: 107515N

181 270 2832 OLD NO RK.01.525.09

Repair Kit



8 680437 287872



303 270 0001 OLD NO01.1320 Cylinder Head   8 680437 102267		313 904 4009 OLD NO01.1905 Roller Bearing   8 680437 163664 Nachi No: 40BVV091	301 271 0001 OLD NO01.2205 Crankcase   8 680437 287339
302 238 0001 OLD NO01.1242 Crankshaft   8 680437 073475	311 055 0005 OLD NO01.2206 Connection Flange   8 680437 287855	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	
315 070 0003 OLD NORK.01.848 Connection Rod & Piston   1 234567 890128	314 070 0002 OLD NORK.01.885 Piston&Ring  314 085 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 203070	306 070 0002 OLD NO01.1952 Piston  306 070 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 203025	307 070 0002 OLD NO01.1848 Ring  307 070 2002 Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082
312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit   8 680437 285656 Bndix No : 107651	320 011 0013 OLD NO01.2211 Adapter   8 680437 285557		

Twin Cylinder Compressor
Ø70.64 mm - 298 cc - Stroke 38 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.05.189

YUMAK NO[®]

181 270 0200



OE NO
BX5002984X

BENDIX NO
TU-FLO 550
5002984
5002984X

OLD NO

YUMAK NO[®]

Brand
YUMAK Original

Cylinder Diameter
Ø70.64 mm

Volume
298 cc

Piston Operating Distance
38 mm

Port 0
-

Port 2
1/2" - 14 NPT

Port 8.1
1/8" - 27 NPT

Port 9.1
1/2" - 14 NPT

Port 9.2
1/2" - 14 NPT

Crankshaft Thread
-

Number of Cylinders
2

Cooling
Water

ESS Feature
No

Water Cooled Valve Plate
Yes

Direct Working
Yes

Maximum Op. Pressure
10.5 bar

Weight
20.48 kg


181 270 0210 OLD NO RK.01.632.30

Complete Cylinder Head




181 270 0230 OLD NO RK.01.525

Repair Kit



181 270 0233 OLD NO RK.01.525.02

Repair Kit



181 270 0236 OLD NO RK.01.525.08

Repair Kit



303 270 0301 OLD NO01.1320.30 Cylinder Head   8 680437 287995		312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit   8 680437 285656 Endix No : 107651	301 270 0003 OLD NO01.2222 Crankcase   8 680437 286493
302 238 0201 OLD NO01.1242.20 Crankshaft   8 680437 287681	311 034 0002 OLD NO01.2223 Connection Flange   8 680437 339441	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	
315 070 0003 OLD NO RK.01.848 Connection Rod & Piston   1 234567 890128	314 070 0002 OLD NO RK.01.885 Piston&Ring  314 085 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 203070	306 070 0002 OLD NO01.1952 Piston  306 070 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 203025	307 070 0002 OLD NO01.1848 Ring  307 070 2002 Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082

Twin Cylinder Compressor
Ø70.64 mm - 298 cc - Stroke 38 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.05.195

YUMAK NO[®]
181 270 0801



OE NO

BX5004188X
ZBX5004188X

BENDIX NO

TU-FLO 550
5004188
5004188X

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø70.64 mm
Volume
298 cc
Piston Operating Distance
38 mm
Port 0
-
Port 2
1/2" - 14 NPT
Port 8.1
1/8" - 18 NPT
Port 9.1
1/2" - 14 NPT
Port 9.2
1/2" - 14 NPT
Crankshaft Thread
-
Number of Cylinders
2
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
31.15 kg


181 270 0810 OLD NO RK.01.632.20

Complete Cylinder Head




181 270 0830 OLD NO RK.01.525

Repair Kit



181 270 0833 OLD NO RK.01.525.02

Repair Kit



181 270 0836 OLD NO RK.01.525.08

Repair Kit



303 270 0201 OLD NO01.1320.20 Cylinder Head   8 680437 285625		313 904 4009 OLD NO01.1905 Roller Bearing   8 680437 163664 Nachi No: 40BVV091	301 270 0001 OLD NO01.2177 Crankcase   8 680437 285618
302 238 0002 OLD NO01.2178 Crankshaft   8 680437 285632	311 055 0003 OLD NO01.2179 Connection Flange   8 680437 285649	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	309 069 0001 OLD NO01.2180 Gear  Ø159,20 mm - Z: 69  8 680437 284338
315 070 0003 OLD NO RK.01.848 Connection Rod & Piston   1 234567 890128	314 070 0002 OLD NO RK.01.885 Piston&Ring  314 085 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 283070	306 070 0002 OLD NO01.1952 Piston  306 070 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 283025	307 070 0002 OLD NO01.1848 Ring  307 070 2002 Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082
312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit   8 680437 285656 Bndix No : 107651			

Twin Cylinder Compressor
Ø70.64 mm - 298 cc - Stroke 38 mm

Application - Vehicle
INTERNATIONAL
SERIES 60

OLD NO 01.05.233

YUMAK NO[®]

181 270 2901



OE NO
BXK053743X

BENDIX NO
TU-FLO 550
K053743
K053743X

OLD NO

YUMAK NO[®]

Brand
YUMAK Original

Cylinder Diameter
Ø70.64 mm

Volume
298 cc

Piston Operating Distance
38 mm

Port 0
-

Port 2
1/2" - 14 NPT

Port 4
1/8" - 27 NPT

Port 8.1
1/2" - 18 NPT

Port 9.1
1/2" - 14 NPT

Port 9.2
1/2" - 14 NPT

Crankshaft Thread
M20x2.5 RH

Number of Cylinders
2

Cooling
Water

ESS Feature
No

Water Cooled Valve Plate
Yes

Direct Working
Yes

Maximum Op. Pressure
10 bar

Weight
31.96 kg


181 270 2910 OLD NO RK.01.632.20

Complete Cylinder Head




181 270 2930 OLD NO RK.01.525

Repair Kit



181 270 2933 OLD NO RK.01.525.02

Repair Kit



181 270 2936 OLD NO RK.01.525.08

Repair Kit



303 270 0201 OLD NO01.1320.20 Cylinder Head  8 680437 285625		313 904 4009 OLD NO01.1905 Roller Bearing  8 680437 163664Nachi No: 40BVV091	301 270 0001 OLD NO01.2177 Crankcase  8 680437 285618
302 238 0002 OLD NO01.2178 Crankshaft  M20x25 Rgt Hand 8 680437 285632	311 055 0003 OLD NO01.2179 Connection Flange  8 680437 285649	308 029 0001 OLD NO01.2181 Connecting Rod  8 680437 284345	309 069 0001 OLD NO01.2180 Gear  Ø159,20 mm - Z: 69 8 680437 284338
315 070 0003 OLD NO RK.01.848 Connection Rod & Piston  1 234567 890128	314 070 0002 OLD NO RK.01.885 Piston&Ring  314 085 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 283070	306 070 0002 OLD NO01.1952 Piston  306 070 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 283025	307 070 0002 OLD NO01.1848 Ring  307 070 2002 Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 141082
312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit  8 680437 285656Bndix No : 107651			

Twin Cylinder Compressor
Ø70.64 mm - 298 cc - Stroke 38 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.05.201

YUMAK NO[®]
181 270 1400



OE NO
BX5014144X
3596420C92

BENDIX NO
TU-FLO 550
5014144
5014144X

OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø70.64 mm
Volume
298 cc
Piston Operating Distance
38 mm
Port 0
-
Port 2
1/2" - 14 NPT
Port 8.1
1/2" - 27 NPT
Port 8.2
M18x1.5
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
-
Number of Cylinders
2
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
25.51 kg


181 270 1410 OLD NO RK.01.632.10

Complete Cylinder Head




181 270 1430 OLD NO RK.01.525

Repair Kit



181 270 1433 OLD NO RK.01.525.02

Repair Kit



181 270 1436 OLD NO RK.01.525.08

Repair Kit



303 270 0101 OLD NO01.1320.10 Cylinder Head  8 680437 287926		313 902 6011 OLD NO00.267 Roller Bearing  8 680437 009627Bndix No : 235440	301 270 0102 OLD NO01.2188.10 Crankcase  8 680437 286455
302 238 0101 OLD NO01.1242.10 Crankshaft  8 680437 287698	311 055 0004 OLD NO01.2189 Connection Flange  8 680437 284413	308 029 0001 OLD NO01.2181 Connecting Rod  8 680437 284345	309 069 0001 OLD NO01.2180 Gear  Ø159,20 mm - Z: 69 8 680437 284338
315 070 0003 OLD NORK.01.848 Connection Rod & Piston  1 234567 890128	314 070 0002 OLD NORK.01.885 Piston&Ring  314 085 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 283070	306 070 0002 OLD NO01.1952 Piston  306 070 2002Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 283025	307 070 0002 OLD NO01.1848 Ring  307 070 2002 Ø73,02 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 8 680437 141082
312 055 0004 OLD NO01.2071 Bushing  8 680437 220343	312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit  8 680437 285656Bndix No : 107651		

Twin Cylinder Compressor

Ø70.64 mm - 298 cc - Stroke 38 mm

Application - Vehicle

INTERNATIONAL

OLD NO

01.05.217

YUMAK NO®

181 270 2600



OE NO

BX5019322X

BENDIX NO

TU-FLO 550
5019322
5019322X

OLD NO

YUMAK NO®

Brand

YUMAK Original

Cylinder Diameter

Ø70.64 mm

Volume

298 cc

Piston Operating Distance

38 mm

Port 0

-

Port 2

1/2" - 14 NPT

Port 4

1/8" - 27 NPT

Port 8.1

1/8" - 27 NPT

Port 9.1

M18x1.5

Port 9.2

M18x1.5

Crankshaft Thread

3/4" - 16 UNF

Number of Cylinders

2

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

12.5 bar

Weight

24.68 kg

181 270 2610

OLD NO

RK.01.632.10

Complete Cylinder Head




181 270 2630

OLD NO

RK.01.525

Repair Kit




181 270 2633

OLD NO

RK.01.525.02

Repair Kit



181 270 2636

OLD NO

RK.01.525.08

Repair Kit




181 270 2635

OLD NO

RK.01.525.14

Repair Kit



303 270 0101 OLD NO01.1320.10 Cylinder Head   8 680437 287926		313 902 6011 OLD NO00.267 Roller Bearing   8 680437 009627 Bndix No : 235440	301 270 0010 OLD NO01.2559 Crankcase   1 234567 890128
302 247 0202 OLD NO01.2352.20 Crankshaft  3/4" - 16 UNF  8 680437 289098	311 055 0004 OLD NO01.2189 Connection Flange   8 680437 284413	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	
314 070 0004 OLD NO RK.01.939 Piston&Ring  314 070 1004 Ø70,89 mm 314 070 2004 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 287902	306 070 0003 OLD NO01.2183 Piston  306 070 1003 Ø70,89 mm 306 070 2003 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 284369	307 070 0002 OLD NO01.1848 Ring  307 070 1002 Ø70,89 mm 307 070 2002 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082	

Twin Cylinder Compressor
Ø70.64 mm - 374 cc - Stroke 47.8 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.05.213

YUMAK NO®
181 270 2201



OE NO

BAR5004187
BX5004187X
BX5004187B1
ZBX5004187X

BENDIX NO

TU-FLO 750
5004187
5004187X

OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø70.64 mm
Volume
374 cc
Piston Operating Distance
47.8 mm
Port 0
-
Port 2
1/2" - 14 NPT
Port 4
1/8" - 27 NPT
Port 8.1
1/4" - 18 NPT
Port 9.1
1/2" - 14 NPT
Port 9.2
1/2" - 14 NPT
Crankshaft Thread
M20x2.5 RH
Number of Cylinders
2
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
31.00 kg


181 270 2210 OLD NO RK.01.632.10

Complete Cylinder Head




181 270 2230 OLD NO RK.01.525

Repair Kit



181 270 2233 OLD NO RK.01.525.02

Repair Kit



181 270 2236 OLD NO RK.01.525.08

Repair Kit



303 270 0201 OLD NO01.1320.20 Cylinder Head   8 680437 285625		313 904 4009 OLD NO01.1905 Roller Bearing   8 680437 163664 Nachi No: 40BVV091	301 270 0001 OLD NO01.2177 Crankcase   8 680437 285618
302 247 0001 OLD NO01.2209 Crankshaft  M20x25  Hand  8 680437 287704	311 055 0003 OLD NO01.2179 Connection Flange   8 680437 285649	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	
315 070 0002 OLD NO RK.01.846 Connection Rod & Piston  Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 339359	314 070 0004 OLD NO RK.01.939 Piston&Ring  314 070 1004 Ø70,89 mm 314 070 2004 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 287902	306 070 0003 OLD NO01.2183 Piston  306 070 1003 Ø70,89 mm 306 070 2003 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 284369	307 070 0002 OLD NO01.1848 Ring  307 070 1002 Ø70,89 mm 307 070 2002 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082
312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit   8 680437 285656 Bndix No: 107651			

Twin Cylinder Compressor

Ø70.64 mm - 374 cc - Stroke 47.8 mm

Application - Vehicle

INTERNATIONAL

OLD NO

01.05.208

YUMAK NO[®]

181 270 1700



OE NO

BX5002713X

BENDIX NO

TU-FLO 750

5002713

5002713X

OLD NO

YUMAK NO[®]

Brand

YUMAK Original

Cylinder Diameter

Ø70.64 mm

Volume

374 cc

Piston Operating Distance

47.8 mm

Port 0

-

Port 2

1/2" - 14 NPT

Port 8.1

1/4" - 18 NPT

Port 9.1

1/2" - 14 NPT

Port 9.2

1/2" - 14 NPT

Crankshaft Thread

M20x2.5 RH

Number of Cylinders

2

Cooling

Water

ESS Feature

No

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

10.5 bar

Weight

21.31 kg

181 270 1710

OLD NO

RK.01.632.30

Complete Cylinder Head




181 270 1730

OLD NO

RK.01.525

Repair Kit




181 270 1733

OLD NO

RK.01.525.02

Repair Kit



181 270 1736

OLD NO

RK.01.525.08

Repair Kit




181 270 1737

OLD NO

RK.01.525.12

Repair Kit



303 270 0301 OLD NO01.1320.30 Cylinder Head   8 680437 287995			301 270 0003 OLD NO01.2222 Crankcase   8 680437 286493
302 247 0002 OLD NO01.2352 Crankshaft  M20x25 Rgt Hand  8 680437 289074	311 034 0002 OLD NO01.2223 Connection Flange   8 680437 287971	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	
315 070 0002 OLD NO RK.01.846 Connection Rod & Piston  Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 339359	314 070 0004 OLD NO RK.01.939 Piston&Ring  314 070 1004 Ø70,89 mm 314 070 2004 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 287902	306 070 0003 OLD NO01.2183 Piston  306 070 1003 Ø70,89 mm 306 070 2003 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 284369	307 070 0002 OLD NO01.1848 Ring  307 070 1002 Ø70,89 mm 307 070 2002 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082
312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit   8 680437 285656 Index No: 107651			

Twin Cylinder Compressor
Ø70.64 mm - 372 cc - Stroke 47.5 mm

OLD NO 01.05.212

YUMAK NO[®]
181 270 2100



OE NO

BX107507X
BX107507B1
ZBX107507X

BENDIX NO

TU-FLO 750
107507
107507X

OLD NO

YUMAK NO[®]

Application - Vehicle
INTERNATIONAL

Brand
YUMAK Original
Cylinder Diameter
Ø70.64 mm
Volume
372 cc
Piston Operating Distance
47.5 mm
Port 0
-
Port 2
Ø17.80 mm
Port 4
1/8" - 27 NPT
Port 8.1
Ø8 mm
Port 8.2
Ø20.52 mm
Port 9.1
1/2" - 14 NPT
Port 9.2
1/2" - 14 NPT
Crankshaft Thread
M20x2.5 RH
Number of Cylinders
2
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
12.5 bar
Weight
23.54 kg

181 270 2110

OLD NO RK.01.632


Complete Cylinder Head



181 270 2130

OLD NO RK.01.525


Repair Kit



181 270 2133

OLD NO RK.01.525.02

Repair Kit



181 270 2136

OLD NO RK.01.525.08

Repair Kit



303 270 0001 OLD NO01.1320 Cylinder Head   8 680437 102267		313 902 6011 OLD NO00.267 Roller Bearing   8 680437 002864 Bndix No: 235440	301 270 0004 OLD NO01.2245 Crankcase   8 680437 287728
302 247 0102 OLD NO01.2352.10 Crankshaft  M20x25 Rgt Hand  8 680437 289081	312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit   8 680437 285656 Bndix No: 107651	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	
315 070 0002 OLD NORK.01.846 Connection Rod & Piston  Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 339359	314 070 0004 OLD NORK.01.939 Piston&Ring  314 070 1004 Ø70,89 mm 314 070 2004 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 287902	306 070 0003 OLD NO01.2183 Piston  306 070 1003 Ø70,89 mm 306 070 2003 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 284369	307 070 0002 OLD NO01.1848 Ring  307 070 1002 Ø70,89 mm 307 070 2002 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082

Twin Cylinder Compressor

Ø70.64 mm - 372 cc - Stroke 47.5 mm

Application - Vehicle

INTERNATIONAL

OLD NO

01.05.214

YUMAK NO®

181 270 2301



OE NO

BX107623

BX107623X

BX107623B1

ZBX107623X

BENDIX NO

TU-FLO 750

107623

107623X

OLD NO

YUMAK NO®

Brand

YUMAK Original

Cylinder Diameter

Ø70.64 mm

Volume

372 cc

Piston Operating Distance

47.5 mm

Port 0

-

Port 2

Ø17.80 mm

Port 4

1/8" - 27 NPT

Port 8.1

1/2" - 13 UNC

Port 9.1

1/2" - 14 NPT

Port 9.2

1/2" - 14 NPT

Crankshaft Thread

M20x2.5 RH

Number of Cylinders

2

Cooling

Water

ESS Feature

Yes

Water Cooled Valve Plate

Yes

Direct Working

Yes

Maximum Op. Pressure

10.0 bar

Weight

26.80 kg

181 270 2310

OLD NO

RK.01.632

Complete Cylinder Head




181 270 2330

OLD NO

RK.01.525

Repair Kit




181 270 2333

OLD NO

RK.01.525.02

Repair Kit



181 270 2336

OLD NO

RK.01.525.08

Repair Kit




181 270 2332

OLD NO

RK.01.525.11

Repair Kit



303 270 0001 OLD NO01.1320 Cylinder Head   8 680437 102267		312 055 0004 OLD NO01.2071 Bushing   8 680437 220343	301 270 0005 OLD NO01.2512 Crankcase   8 680437 306504
302 247 0302 OLD NO01.2352.30 Crankshaft  M20x25 Rgt Hand  8 680437 339250	312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit   8 680437 285656 Bndix No: 107651	308 029 0001 OLD NO01.2181 Connecting Rod   8 680437 284345	
315 070 0002 OLD NO RK.01.846 Connection Rod & Piston  Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 339359	314 070 0004 OLD NO RK.01.939 Piston&Ring  314 070 1004 Ø70,89 mm 314 070 2004 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 287902	306 070 0003 OLD NO01.2183 Piston  306 070 1003 Ø70,89 mm 306 070 2003 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 284369	307 070 0002 OLD NO01.1848 Ring  307 070 1002 Ø70,89 mm 307 070 2002 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76  8 680437 141082

Twin Cylinder Compressor
Ø70.64 mm - 374 cc - Stroke 47.8 mm

Application - Vehicle
INTERNATIONAL

OLD NO 01.05.215

YUMAK NO®
181 270 2400



OE NO

5004614B1
BX5004614
BX5004614X
BAR5004614
BX5004614B1

BENDIX NO

TU-FLO 750
5004614
5004614X


OLD NO

YUMAK NO®

Brand
YUMAK Original
Cylinder Diameter
Ø70.64 mm
Volume
374 cc
Piston Operating Distance
47.8 mm
Port 0
-
Port 2
1/2" - 14 NPT
Port 8.1
1/8" - 27 NPT
Port 9.1
1/2" - 14 NPT
Port 9.2
1/2" - 14 NPT
Crankshaft Thread
M20x2.5 RH
Number of Cylinders
2
Cooling
Water
ESS Feature
No
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10.5 bar
Weight
24.89 kg


181 270 2410 OLD NO RK.01.632

Complete Cylinder Head




181 270 2430 OLD NO RK.01.525

Repair Kit



181 270 2433 OLD NO RK.01.525.02

Repair Kit



181 270 2436 OLD NO RK.01.525.08

Repair Kit



181 270 2435 OLD NO RK.01.525.14

Repair Kit



303 270 0001 OLD NO01.1320 Cylinder Head  		313 902 6011 OLD NO00.267 Roller Bearing  	301 270 0002 OLD NO01.2188 Crankcase  
302 247 0202 OLD NO01.2352.20 Crankshaft  M20x25 Rgt Hand Bndix No: 235440	311 055 0004 OLD NO01.2189 Crankshaft Flange  	308 029 0001 OLD NO01.2181 Connecting Rod  	
315 070 0002 OLD NORK.01.846 Connection Rod & Piston  Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 	314 070 0004 OLD NORK.01.939 Piston&Ring  314 070 1004 Ø70,89 mm 314 070 2004 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 	306 070 0003 OLD NO01.2183 Piston  306 070 1003 Ø70,89 mm 306 070 2003 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 	307 070 0002 OLD NO01.1848 Ring  307 070 1002 Ø70,89 mm 307 070 2002 Ø71,14 mm Ø70,64 mm 2,38+2,38+2,38+4,76+4,76 
312 055 0004 OLD NO01.2071 Bushing  	312 029 0001 OLD NO01.2216 Connection Rod Bearing Kit  Bndix No : 107651	320 011 0013 OLD NO01.2211 Adapter  	

Twin Cylinder Compressor
Ø92 mm – 718 cc – Stroke 54 mm

Application – Vehicle
INTERNATIONAL

OLD NO 01.05.187

YUMAK NO[®]
181 292 0501



OE NO
BX5012895X

BENDIX NO
BA-922
5012895
5012895X
5012893
5012894
5013262
801535


OLD NO

YUMAK NO[®]

Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
718 cc
Piston Operating Distance
54 mm
Port 0
M27x2
Port 2
M22x1.5
Port 4
1/8" – 27 NPT
Port 8.1
1/2" – 14 NPT
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
–
Number of Cylinders
2
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
12.5 bar
Weight
33.07 kg


181 292 0510 OLD NO RK.01.445

Complete Cylinder Head




181 292 0520 OLD NO RK.01.446.09

Valve Plate Kit



181 292 0535 OLD NO RK.01.446.10

Repair Kit




181 292 0530 OLD NO RK.01.446.11


Repair Kit




181 292 0532 OLD NO RK.01.446.12

Repair Kit



303 292 0009 OLD NO01.2194 Cylinder Head  	303 292 0006 OLD NO01.2199 Valve Plate  	313 904 4009 OLD NO01.1905 Roller Bearing  Nachi No: 40BVV091	301 292 0012 OLD NO01.2192 Crankcase  
302 254 0007 OLD NO01.2193 Crankshaft  		308 032 0027 OLD NO01.2196 Connecting Rod  	309 063 0002 OLD NO01.1902 Gear  Ø163,20 mm - Z: 63 
314 092 0001 OLD NO RK.01.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 Knorr No : K006026 - K012079 SEB22530 - K012079K56	306 092 0001 OLD NO01.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 	307 092 0002 OLD NO01.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 	
181 292 0537 OLD NO RK.01.446.13 Repair Kit  			



DETROIT DIESEL

**HAVA KOMPRESÖRLERİ
ve TAMİR TAKIMLARI**

AIR COMPRESSORS AND REPAIR KITS

DETROIT DIESEL



Single Cylinder Compressor
Ø92 mm - 360 cc - Stroke 54 mm

OLD NO 01.04.122

YUMAK NO[®]
193 192 0101



OE NO

472 130 05 15
472 130 08 15
472 130 00 15

BENDIX NO

K034655
K035912X

OLD NO 01.04.122.10

YUMAK NO[®]
193 192 0100

WITHOUT GEAR




Application - Vehicle
DETROIT DIESEL
DD13 / DD15
MBE 900

Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
360 cc
Piston Operating Distance
54 mm
Port 0
Ø34.50 mm
Port 2
M26x1.5
Port 4
M10x1
Port 8.1
Ø11 mm
Port 9.1
M18x1.5
Port 9.2
M18x1.5 LH
Crankshaft Thread
M20x1.5 Left Hand
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
10 bar
Weight
19.8 kg


193 192 0110 OLD NO RK.01.610

Complete Cylinder Head




193 192 0120 OLD NO RK.01.611

Valve Plate Kit




193 192 0130 OLD NO RK.01.614

Repair Kit




193 192 0135 OLD NO RK.01.614.16


Repair Kit



193 192 0137 OLD NO RK.01.614.21

Repair Kit



303 192 0003 OLD NO 01.1211 Cylinder Head  8 680437 017691	304 192 0003 OLD NO 01.1213 Valve Plate  8 680437 017714 Knorr No : K011811	305 192 0002 OLD NO 01.1212 Cooling Plate  8 680437 017707	301 192 0006 OLD NO 01.1215 Crankcase  8 680437 078289
302 154 0103 OLD NO 01.1214 Crankshaft  M20x1,5 Left Hand 8 680437 017721	311 055 0001 OLD NO 01.1216 Crankshaft Flange  8 680437 017745	308 032 0016 OLD NO 01.1101 Connecting Rod  8 680437 016069 Knorr No : SEB22464 EB02800	309 051 0001 OLD NO 01.1171 Gear  Ø101,90 mm - Z: 51 8 680437 017172
315 092 0001 OLD NO RK.01.802 Connection Rod&Piston  Ø92,00 mm 2,50+2,50+4,00 8 680437 114550	314 092 0001 OLD NO RK.01.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 063773 Knorr No : K006026 - K012079 SEB22530 - K012079K56 - K012079K57	306 092 0001 OLD NO 01.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 027584	307 092 0002 OLD NO 01.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 028666
193 192 0136 OLD NO RK.01.614.05 Repair Kit  8 680437 121312			
312 055 0003 OLD NO 01.1954 Bushing  59x55x30 8 680437 166573			

Single Cylinder Compressor
Ø92 mm - 360 cc - Stroke 54 mm

OLD NO 01.04.260

YUMAK NO[®]
193 192 0301



OE NO

471 130 17 15
471 130 25 15
471 130 02 15
001 130 72 15
001 130 45 15
RA0011307215

KNORR NO

K034111
K035911
K095731
K035912
K095125
K035911SC

OLD NO 01.04.260.10

YUMAK NO[®]
193 192 0300

WITHOUT GEAR



Application - Vehicle
DETROIT DIESEL
DD13 / DD15 / BA-921

Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
360 cc
Piston Operating Distance
54 mm
Port 0
Ø34 mm
Port 2
M26x1.5
Port 4
1/8" - 27 NPT
Port 8.1
Ø11 mm
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
M20x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
No
Maximum Op. Pressure
12.5 bar
Weight
16.7 kg


193 192 0310 OLD NO RK.01.610.10

Complete Cylinder Head




193 192 0320 OLD NO RK.01.611

Valve Plate Kit




193 192 0335 OLD NO RK.01.614.16

Repair Kit




193 192 0337 OLD NO RK.01.614.21


Repair Kit



193 192 0336 OLD NO RK.01.614.05

Repair Kit



303 192 0203 OLD NO01.1211.20 Cylinder Head  8 680437 231592	304 192 0003 OLD NO01.1213 Valve Plate  8 680437 017714 Knorr No : K011811	305 192 0002 OLD NO01.1212 Cooling Plate  8 680437 017707	301 192 0006 OLD NO01.1215 Crankcase  8 680437 017738
302 154 0003 OLD NO01.1214 Crankshaft  M20x1,5 Left Hand 8 680437 017721	311 055 0001 OLD NO01.1216 Crankshaft Flange  8 680437 017745	308 032 0016 OLD NO01.1101 Connecting Rod  8 680437 016069 Knorr No : SEB22464 EB02800	309 051 0001 OLD NO01.1171 Gear  Ø101,90 mm - Z: 51 8 680437 017172
314 092 0001 OLD NO RK.01.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 063773 Knorr No : K006026 - K012079 SEB22530 - K012079K56 - K012079K57	306 092 0001 OLD NO01.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 027584	307 092 0002 OLD NO01.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 028666	
149 275 0133 OLD NO RK.01.618.06 Repair Kit  8 680437 163893	149 275 0136 OLD NO RK.01.618.30 Repair Kit  8 680437 124092		
312 055 0003 OLD NO01.1954 Bushing  59x55x30 8 680437 166573			

Single Cylinder Compressor
Ø92 mm - 360 cc - Stroke 54 mm

OLD NO 01.04.259

YUMAK NO[®]
193 192 0201



OE NO
472 130 11 15

WABCO NO
K031987
K095124
K031986
K095740
K020253
K020801
K031986SC

OLD NO 01.04.259.10

YUMAK NO[®] WITHOUT GEAR
193 192 0200




Application - Vehicle
DETROIT DIESEL
DD13 / DD15 / BA-921

Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
360 cc
Piston Operating Distance
54 mm
Port 0
Ø45 mm
Port 2
M26x1.5
Port 4
1/8" - 27 NPT
Port 8.1
Ø11 mm
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
M20x1.5 LH
Number of Cylinders
1
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
12.5 bar
Weight
16.7 kg


193 192 0210 OLD NO RK.01.610.20

Complete Cylinder Head




193 192 0220 OLD NO RK.01.611

Valve Plate Kit




193 192 0235 OLD NO RK.01.614.16

Repair Kit




193 192 0237 OLD NO RK.01.614.21

Repair Kit



193 192 0236 OLD NO RK.01.614.05

Repair Kit



303 192 0103 OLD NO 01.1211.10 Cylinder Head  8 680437 231585	304 192 0003 OLD NO 01.1213 Valve Plate  8 680437 017714 Knorr No: K011811	305 192 0002 OLD NO 01.1212 Cooling Plate  8 680437 017707	601 192 0006 OLD NO 01.1215 Crankcase  8 680437 017738
302 154 0103 OLD NO 01.124.10 Crankshaft  M20x1,5 Left Hand 8 680437 079811	311 055 0001 OLD NO 01.1216 Crankshaft Flange  8 680437 017745	308 032 0016 OLD NO 01.1101 Connecting Rod  8 680437 016069 Knorr No: SEB22464 EB02800	309 051 0001 OLD NO 01.1171 Gear  Ø101,90 mm - Z: 51 8 680437 017172
314 092 0001 OLD NO RK.01.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 063773 Knorr No : K006026 - K012079 SEB22530 - K012079K56 - K012079K57	306 092 0001 OLD NO 01.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 027584	307 092 0002 OLD NO 01.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00 8 680437 028666	
312 055 0003 OLD NO 01.1954 Bushing  59x55x30 8 680437 166573			

Single Cylinder Compressor
Ø92 mm - 360 cc - Stroke 57 mm

OLD NO 01.04.273

YUMAK NO[®]

193 192 0400



OE NO

002 130 74 15
A 002 130 74 15

BENDIX NO

K226475
BA-3600

OLD NO


YUMAK NO[®]

Application - Vehicle
DETROIT DIESEL
DD13 / DD15

- Brand
- YUMAK Original
- Cylinder Diameter
- Ø92 mm
- Volume
- 360 cc
- Piston Operating Distance
- 57 mm
- Port 0
- Ø34 mm
- Port 2
- M26x1.5
- Port 4
- 1/8" - 27 NPT
- Port 8.1
- Ø16 mm
- Port 9.1
- M18x1.5
- Port 9.2
- M18x1.5
- Crankshaft Thread
- M20x1.5 LH
- Number of Cylinders
- 1
- Cooling
- Water
- ESS Feature
- Yes
- Water Cooled Valve Plate
- Yes
- Direct Working
- No
- Maximum Op. Pressure
- 10 bar
- Weight
- 15.43 kg

193 192 0410 OLD NO RK.01.943

Complete Cylinder Head




193 192 0431 OLD NO RK.01.944.01

Valve Plate Kit



193 192 0430 OLD NO RK.01.944

Repair Kit



193 192 0435 OLD NO RK.01.944.02

Repair Kit



303 192 0012 OLD NO01.2338 Cylinder Head  	304 192 0004 OLD NO01.2339 Valve Plate  	305 192 0005 OLD NO01.2340 Cooling Plate  	301 192 0015 OLD NO01.2336 Crankcase  
302 157 0001 OLD NO01.2337 Crankshaft  M20x1,5 Left Hand 	311 035 0017 OLD NO01.2341 Crankshaft Flange  	308 032 0029 OLD NO01.2357 Connecting Rod  	
314 092 0001 OLD NO RK.01.318 Piston&Ring  314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  Knorr No : K006026 - K012079 SEB22530 - K012079K56 - K012079K57	306 092 0001 OLD NO01.862 Piston  306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  Knorr No : K006026 - K012079 SEB22530 - K012079K56 - K012079K57	307 092 0002 OLD NO01.942 Ring  307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm Ø92,00 mm 2,50+2,50+4,00  Knorr No : K006026 - K012079 SEB22530 - K012079K56 - K012079K57	
312 038 0003 OLD NO01.292 Bushing  42x38x25  Knorr No : EB00819			

Twin Cylinder Compressor
Ø92 mm - 718 cc - Stroke 54 mm

OLD NO 01.05.187

YUMAK NO®
193 292 0201



OE NO
23531136
23523382

BENDIX NO
BA-922
801535
5012895
5012893
5012894
5013262
5012895X

OLD NO


YUMAK NO®

Application - Vehicle
DETROIT DIESEL

Brand
YUMAK Original
Cylinder Diameter
Ø92 mm
Volume
718 cc
Piston Operating Distance
54 mm
Port 0
M27x2
Port 2
M22x1.5
Port 4
1/8" - 27 NPT
Port 8.1
1/8" - 27 NPT
Port 9.1
M18x1.5
Port 9.2
M18x1.5
Crankshaft Thread
-
Number of Cylinders
2
Cooling
Water
ESS Feature
Yes
Water Cooled Valve Plate
Yes
Direct Working
Yes
Maximum Op. Pressure
12.5 bar
Weight
33.07 kg


193 292 0210 OLD NO RK.01.445

Complete Cylinder Head




193 292 0220 OLD NO RK.01.446.09

Valve Plate Kit




193 292 0235 OLD NO RK.01.446.10

Repair Kit




193 292 0230 OLD NO RK.01.446.11

Repair Kit



193 292 0232 OLD NO RK.01.446.12

Repair Kit



303 292 0009 OLD NO 01.2194 Cylinder Head  	304 292 0006 OLD NO 01.2199 Valve Plate  		301 292 0012 OLD NO 01.2192 Crankcase  
302 254 0007 OLD NO 01.2193 Crankshaft  	313 904 4009 OLD NO 01.1905 Roller Bearing   Nachi No: 40BV091	308 032 0027 OLD NO 01.2196 Connecting Rod  	309 063 0002 OLD NO 01.1902 Gear  Ø163,20 mm - Z: 63 
314 092 0001 OLD NO RK.01.318 Piston&Ring 314 092 1001 Ø92,25 mm 314 092 2001 Ø92,50 mm 314 092 3001 Ø92,75 mm 314 092 4001 Ø93,00 mm  Ø92,00 mm 2,50+2,50+4,00  Knorr No : K006026 - K012079 SEB22530 - K012079K56 - K012079K57	306 092 0001 OLD NO 01.862 Piston 306 092 1001 Ø92,25 mm 306 092 2001 Ø92,50 mm 306 092 3001 Ø92,75 mm 306 092 4001 Ø93,00 mm  Ø92,00 mm 2,50+2,50+4,00 	307 092 0002 OLD NO 01.942 Ring 307 092 1002 Ø92,25 mm 307 092 2002 Ø92,50 mm 307 092 3002 Ø92,75 mm 307 092 4002 Ø93,00 mm  Ø92,00 mm 2,50+2,50+4,00 	
193 292 0237 OLD NO RK.01.446.13 Repair Kit 